## ovelat<sup>®</sup> Gel

## cooling, soothing & effective



- Direct to the pain
- Direct to the swelling

## Movelat<sup>®</sup> Gel

- Tried
- Tested
- Trusted

## The Direct Anti-inflammatory

Presentation: Movelat Gel contains mucopolysaccharide polysulphuric acid ester (heparinoid) 0.2g, adrenocortical extract 1.0g (equivalent to 20mg of corticosteroids), and salicylic acid 2.0g in a colourless gel base to 100g. Movelat Cream is also available containing the same active constituents in a white vanishing cream base.

Indications: Non-rheumatic disorders of the locomotor apparatus: sprains,

Indications: Non-rheumatic disorders of the locomotor apparatus: sprains, muscular strains and spasms, soft tissue injuries, Rheumatic disorders: osteo-arthritis, fibrositis,

Dosage and administration: Movelat Gel: Two to six inches (5-15cm) to be applied gently to the affected area up to four times daily; may also be used as an ultrasound coupling medium,

Movelat Cream: Two to six inches (5-15cm) to be massaged into the affecte

rea up to four times daily; may also be used as a dressing, when it should

Contra-indications, warnings: Movelat Gel: Contains an alcohol and therefore should not be brought into direct contact with open wounds or mucous membranes. Movelat Cream: Nil

Basic NHS Prices: £3,90 per 100g tube of Gel or Cream

Product Licence numbers:
Movelat Gel 0542/0006
Movelat Cream 0542/5001

Product Licence Holders and Distributors: Farillon Limited, Romford, Essex.



**PANPHARMA LIMITED** Haves, Middx. UB4 0JN Tel: 01-561 8774