

Moveilat[®] Cream & Gel

(contents: mucopolysaccharide-polysulfuric acid ester,
adrenocortical extract & salicylic acid)

TUBES OF 50g



*for immediate treatment
of soft tissue injuries, bruises,
contusions, sprains and strains*

*for prompt relief of pain on
the playing field and in
the sports arena*

LUITPOLD



Manufacturers of
Hirudoid[®]

Samples and literature on request:

LUITPOLD - WERK (Munich, Germany)

Luitpold House,
80 East Avenue,
Hayes, Middx.
Tel: 01-848 0738

**Boots products
in sports medicine**

THE BOOTS COMPANY LTD NOTTINGHAM, ENGLAND



se

BRUFEN

a standard

for the relief of pain

reduction of inflammation

improved mobility

Brufen, the first of the propionic acid derivatives, has steadily established a standard for the symptomatic relief of rheumatic pain.

Prescribed as 3 to 4 tablets daily, Brufen 400 is – effective in relieving pain – in improving mobility – and, unlike many other anti-inflammatory analgesic drugs, has so remarkably few side-effects – that it is rapidly becoming a standard by which alternative treatments are measured.

Each Brufen 400 tablet contains Ibuprofen B.P. 400mg.

Further information is available on request.



The Boots Company Ltd, Nottingham

BRUFEN is a registered trade mark.

Prescribing information


Presentation 'Brufen 400' are sugar-coated tablets containing 400 mg of Ibuprofen BP, the tablets are light-magenta in colour and bear the overprint 'Brufen 400' in black. **Brufen 200 mg tablets** Brufen is available also as sugar-coated tablets containing 200 mg of Ibuprofen BP, these tablets are light-magenta in colour and overprinted 'Brufen' in black. **Brufen Suspension** For patients who have difficulty in swallowing tablets Brufen is presented as Brufen Suspension, a pleasant, chocolate-flavoured liquid containing 100 mg of Ibuprofen BP in each 5 ml. **Indications** Rheumatoid arthritis (including juvenile rheumatoid arthritis or Still's disease), osteoarthritis, and allied conditions. **Dosage and Administration** **Adults:** The recommended initial dosage of Brufen is 1200 mg daily in divided doses. Some patients can be maintained on 600 to 1200 mg daily. It can be advantageous in severe conditions to increase the dosage to 1600 mg daily in divided doses until the acute phase has been brought under control. **Children:** 20 mg of Brufen (i.e. 1 ml of Brufen Suspension) per kg of body weight daily, except that in children weighing less than 30 kg the total dose of Brufen given in 24 hours should not exceed 500 mg. **Note:** Most patients can take Brufen on an empty stomach without gastric discomfort – an important feature in dealing with the problem of early-morning stiffness. These patients can take the first dose of each day, with morning tea or other drink, as soon as they are awake. Since the stomach is empty of food, absorption of the drug is rapid and stiffness quickly relieved. Subsequent doses should be given after meals so that absorption is more gradual and a more prolonged effect achieved. **Contra-Indication Warnings, Etc.** In common with other potent, non-steroidal anti-rheumatic agents, Brufen should not be given to patients with active or severe peptic ulceration. In patients with asthma Brufen should be prescribed with caution especially in patients who have developed bronchospasm with other nonsteroidal anti-rheumatic agents. **Side Effects** The widespread use of Brufen has been associated with a low incidence of side effects. The most frequent reports have been of a rash which has usually resolved rapidly on cessation of therapy. Dyspepsia has been reported and in some susceptible patients isolated cases of gastro-intestinal haemorrhage have been recorded. Bronchospasm and some cases of thrombocytopenia have also been reported. **Basic NHS Price.** Brufen 400: 250 Pack £11.90 Brufen 200 mg: 500 Pack £12.15 Brufen Suspension 200 ml bottles 72p. **Product Licence Numbers:** Brufen 400 0014/0158 Brufen 200 mg 0014/5132 Brufen Suspension 0014/0130.

Pain relief on the field of play

PR Spray relieves pain due to reflex muscular spasm and is also indicated in a wide range of painful conditions.

P.R. SPRAY

pain relieving skin spray



mycota

for the treatment and prevention of athlete's foot

Full prescribing information is available on request.