

Announcement

From 1996 the *British Journal of Sports Medicine* will be published by the BMJ Publishing Group

A new editor has been appointed: Dr Domhnall MacAuley, general practitioner in Belfast and research fellow in epidemiology at Queen's.

The editorial office will be situated at BMA House, London. New papers and inquiries about papers in progress should be directed to:

Editorial Office
British Journal of Sports Medicine
Specialist Journals Department
BMA House
Tavistock Square
London WC1H 9JR

Tel: +44 (0) 171 383 6487

Fax: +44 (0) 171 383 6668

BASM education programme

The foundation course of the education programme is the **Introductory Sports Medicine Course** which is designed for general practitioners and chartered physiotherapists, though suitable for all doctors with an interest in sports medicine. The curriculum is multidisciplinary in approach and has a wide focus concentrating on aspects including health benefits, exercise training principles, children and elderly in sport, exercise physiology, sports nutrition, CPR, and resuscitation update. Sporting injuries and their management are also covered. Five days PGEA approval in Health Promotion and Disease Management are given for this course.

The interdisciplinary **Intermediate Sports Injury Course** concentrates on the proper examination of normal joints with regard to the diagnosis and management of sports specific injuries. There is a strong focus on the coaching and training involved in a variety of sports. Five days PGEA approval in Health Promotion and Disease Management are given for this course.

The **Practical Sports Medicine Course** held at Club La Santa, Lanzarote, has now been running successfully since 1993 with a curriculum that varies each year. Many of our national teams use the facilities here for preseason training. This course further develops the practical examination and sporting themes of the intermediate course. Physiological training principles are also reviewed and the course makes use of the coaching staff from the complex to gain practical skills and knowledge of a number of different sports.

Forthcoming courses

Introductory Sports Medicine, 21–26 April 1996

£295.00 to £440.00, Lilleshall Hall National Sports Centre, Shropshire (residential)

Intermediate Sports Injury, 7–12 July 1996

£395.00 to £545.00, Lilleshall Hall National Sports Centre, Shropshire (residential)

Introductory Sports Medicine, 22–27 September 1996

Lilleshall Hall National Sports Centre, Shropshire (residential)

Practical Sports Medicine, 3–10 October 1996

Club La Santa, Lanzarote (residential)

BASM National Congress, 31 October–3 November 1996

Slieve Donard Hotel, Newcastle, County Down, Northern Ireland

Intermediate Course: Sports Specific Injury Management and Normal Examination of Joints, 17–22 November 1996

Lilleshall Hall National Sports Centre, Shropshire (residential)

For further details, application forms and membership enquiries, please contact the Education Office at British Association of Sport and Medicine, c/o The National Sports Medicine Institute, Medical College of St Bartholomew's Hospital, Charterhouse Square, London EC1M 6BQ.

Index: Volume 29 1995

Subject Index

- Accessory soleus muscle strain
MRI diagnosis of, 276
- Accident rate
Relationship between the number of events and the number of people injured, 126
- Acclimatization
Monitoring altitude acclimatization, 24
- Acetabular fracture
Two cases sustained during competitive cycling, 205
- Achilles tendon rupture
Surgical treatment: a review of long-term results, 121: *letter*, 279
- Acromioclavicular joint
Surgical treatment of dislocations: *letter*, 210
- Adrenaline
Catecholamine and cortisol levels in Oxford college rowers, 174
- Altitude
Monitoring altitude acclimatization, 24
Poor ventilatory response to mild hypoxia may inhibit acclimatization after carotid surgery, 110
- Amino acid metabolism
Possible influence on the neuroendocrine system, 28
- Anabolic steroids
Bilateral rupture of the quadriceps tendon associated with, 77
Spontaneous rupture of the anterior cruciate ligament after, 274
- Anaerobic threshold
Blood lactate levels of decathletes, 80
In a 5 day jogging relay, 165
In elite badminton players, 153
- Ankle injuries
Volleyball injuries, 200
Netball injuries during competition: a 5 year study, 223
- Ankle instability
Talar tilt under anaesthesia, 103
- Ankle taping
Effect on proprioception before and after exercise, 242
- Anterior cruciate ligament
A biomechanical study, 178
New correlation equations for the Johnson antishear device and standard shin pad in the isokinetic assessment of the knee, 171
Spontaneous rupture after anabolic steroids, 274
- Anthropometry
Anthropometric and physical performance characteristics of rugby players, 263
In Gaelic football, 41
Validity of techniques for predicting body composition, 52
- Antishear device
New correlation equations for the Johnson antishear device and standard shin pad in the isokinetic assessment of the knee, 171
- Anxiety
Anxiety responses to maximal exercise testing, 97
- Arteriovenous fistula
Traumatic arteriovenous fistula of the superficial temporal vessels, 275
- Asthma
Doping taboos: *letter*, 279
- Atrial natriuretic factor
Responses to submaximal and maximal exercise, 248
- Badminton
Sport specific fitness testing, 153
- Ballet dancers
Pain and pain tolerance in, 31
- Basketball
Acute intracranial epidural haematoma, 95
- BASM news, 211
- Biomechanics
Eccentric activation and muscle damage during downhill running, 89
- Blinding choroidal rupture
In a karateka, 273
- Body composition
Body density in rugby players, 46
Validity of techniques for predicting body composition, 52
- Body volume
A new gas dilution method, 134
- Bone mineral density
Effect of exercise training programme, 85
- Breath-holding
In synchronized swimming, 16
- British Association of Sport and Medicine
Specialism in sports medicine – at last? *editorial*, 3
- Bungee running
Bungee running: a further report, 12
- Burns
Wild water rapid burns, 208
- Carbon dioxide rebreathing
Carbon dioxide sensitivity and performance in swimmers, 129
- Cardiorespiratory strain
In a 5 day jogging relay, 165
- Carotid artery
Traumatic carotid and vertebral artery dissection in a jockey, 143
- Carotid surgery
Poor ventilatory response to mild hypoxia may inhibit acclimatization after carotid surgery, 110
- Children
Child-adult differences in whole blood lactate responses to exercise, 196
Reproducibility of cardiorespiratory measurements in children, 66
- Choroidal rupture
In a karateka, 273
- Circuit weight training
Perceived exertion and heart rate relative to ventilatory threshold, 57
- Climbing wall
Injuries on British climbing walls, 168
- Cold immersion
Exertional, high altitude, and cold immersion pulmonary oedema: *editorial*, 218
- Cold pressor test
Pain and pain tolerance in professional ballet dancers, 31
- Cortisol
In Oxford college rowers, 174
- Cycling
Leucocyte and erythrocyte counts, during The Milk Race, 61
Acetabular fractures during, 205
- Decathletes
Blood lactate during competition, 80
- Dislocations
Surgical treatment of dislocations of the acromioclavicular joint: *letter*, 210
- Dissection
Traumatic carotid and vertebral artery dissection in a jockey, 143
- Diving
Ventilatory response to ambient temperature and pressure in, 185
- Dope control
Doping taboos: *editorial*, 75: *letter*, 279
- Downhill running
Biomechanical and physiological considerations during, 89
- Dragon boat rowers
Physical and physiological profiles, 13
- Drugs
Doping taboos: *editorial*, 75: *letter*, 279
- Dual-energy X-ray absorptiometry
Bone mineral density in novice college rowers, 85
- Elbow
Surgical repair of traumatic medial disruption in athletes, 139
- Elite athletes
Monitoring altitude acclimatization, 24
Physiological profiles and sport specific fitness of elite squash players, 158
Sport specific fitness testing of elite badminton players, 153
- Endurance running performance
Prediction of, for middle-aged and older runners, 20
- Energy cost
Of a mile run, 271
- Epidemiology
Epidemiology of sports related injury in the UK, 232
- Epidural haematoma
In a basketball player, 95
- Exercise
Anxiety responses to, 97
Atrial natriuretic factor responses to, 248
Cardiorespiratory strain of a five day jogging relay, 165
Child-adult differences in whole blood lactate responses, 196
Effect on bone mineral density in novice college rowers, 85
Epidemiology of sports related injury in the UK, 232
Leucocyte and erythrocyte counts during a cycling race, 61
Perceived exertion, heart rate and ventilatory threshold, 57
Thermoregulation of exercising men, 113
- Exertional pulmonary oedema
What causes it? *editorial*, 218
- Faceguard
Value of, while playing hurling, 191
- Facial fractures
110 sports related facial fractures, 194
- Field tests
A comparison of methods of predicting maximum oxygen uptake, 147
- Fitness
Anthropometric and physical performance characteristics of rugby players, 263
Fitness characteristics of successful Gaelic footballers, 229
- Fitness testing
Sport specific fitness testing of elite badminton players, 153
- Free tryptophan
Possible influence on the neuroendocrine system, 28
- Gaelic football
Physical and fitness characteristics of successful Gaelic footballers, 229

- The physiological demands of, **41**
- Gaelic games
 - 110 sports related facial fractures, **194**
- Gas dilution method
 - For measuring body volume, **134**
- Gilmore's groin
 - 'Gilmore's groin' – or is it? **206**
- Hand
 - Volleyball injuries of, **200**
- Headgear
 - In squash, **275**
 - While playing hurling, **191**
- Health and safety legislation, **5**
- Health benefits
 - Masters athletics competition, **35**
- Heart rate
 - During a 5 day jogging relay, **165**
 - Relative to ventilatory threshold, **57**
- High altitude
 - High altitude, pulmonary oedema, *editorial*, **218**
- Horner's syndrome
 - Traumatic carotid and vertebral artery dissection in a jockey, **143**
- Hurling
 - 110 sports related facial fractures, **194**
 - Head protection gear while playing, **191**
- Hydrodensitometry
 - Validity of conventional anthropometric techniques for predicting body composition, **52**
- Hypoxia
 - In synchronized swimming, **16**
- Immunomodulation
 - Meditation: a modulator of the immune response to physical stress? **255**
- Injury prevention
 - Ankle taping improves proprioception before and after exercise, **242**
- Injury rate
 - Relation between the number of events and the number of people injured, **126**
- Injury(ies)
 - Acute intracranial epidural haematoma in a basketball player, **95**
 - Epidemiology of sports and exercise related injury in the UK, **232**
 - Implications of health and safety legislation, **5**
 - Injuries on British climbing walls, **168**
 - Surgical treatment of ruptures of the Achilles tendon, **121: letter, 279**
 - Value of wearing head protection gear while playing hurling, **191**
 - Volleyball injuries, **200**
- Iron
 - Monitoring altitude acclimatization in elite woman athlete, **24**
- Isokinetic dynamometer
 - New correlation equations for the Johnson antishear device and standard shin pad in the isokinetic assessment of the knee, **171**
- Isokinetics
 - Bilateral isokinetic variables of the shoulder, **105**
- Jogging
 - Cardiorespiratory strain of a five day jogging relay, **165**
- Karate
 - Blinding choroidal rupture in, **273**
- Knee
 - A biomechanical study, **178**
 - New correlation equations for the Johnson antishear device and standard shin pad in the isokinetic assessment of the knee, **171**
- Lactate
 - Atrial natriuretic factor responses to exercise, **248**
- Blood lactate levels in decathletes, **80**
- Child-adult differences in whole blood lactate responses to exercise, **196**
- Monitoring altitude acclimatization in elite woman athlete, **24**
- In Gaelic football, **41**
- In elite badminton players, **153**
- Leucocytosis
 - Leucocyte counts during the Milk Race, **61**
- Lymphocytes
 - Meditation: a modulator of the immune response to physical stress? **255**
- Magnetic resonance imaging
 - MRI diagnosis of accessory soleus muscle strain, **276**
- Masters competition
 - Personal health benefits of, **35**
- Maximum oxygen consumption
 - Methods of predicting, **147**
 - Physical and physiological profiles of Malaysian dragon boat rowers, **13**
 - Physiological profiles of Asian elite squash players, **158**
 - Relation of speed of a mile run and maximum oxygen consumption, **271**
 - Reproducibility of cardiorespiratory measurements in children, **66**
- Medial collateral ligament
 - Surgical repair of traumatic medial disruption of the elbow, **139**
- Meditation
 - Meditation: a modulator of the immune response to physical stress? **255**
- Middle-aged and older runners
 - Prediction of endurance running performance in, **20**
- Mile run
 - Relation of speed and maximum energy cost, **271**
- Multistage shuttle/run test
 - A comparison of methods of predicting maximum oxygen uptake, **147**
- Muscle damage
 - Eccentric activation and muscle damage during downhill running, **89**
- Netball injuries
 - A descriptive epidemiology of netball injuries during competition, **223**
- Noradrenaline
 - Catecholamine and cortisol levels in Oxford college rowers, **174**
- Obituary
 - Dr John GP Williams, **220**
- Pain
 - Pain tolerance in ballet dancers, **31**
- Patellar dislocation
 - Surgery in acute patellar dislocation, **239**
- Patellar tendon
 - A biomechanical comparison between the central one-third patellar tendon and the residual tendon, **178**
- Performance
 - Precompetition injury and tournament performance in taekwondo, **258**
- Physical performance
 - Anthropometric and physical performance characteristics of rugby players, **263**
- Player characteristics
 - A descriptive epidemiology of netball injuries during competition, **223**
- Precompetition injury
 - Precompetition injury and tournament performance in taekwondo, **258**
- Prediction of endurance running performance
 - In middle-aged and older runners, **20**
- Prolactin
 - Amino acid metabolism and the neuroendocrine system, **28**
- Proprioception
 - Ankle taping improves proprioception before and after exercise, **242**
- Pulmonary oedema
 - What causes exertional, high altitude, and cold immersion pulmonary oedema? *editorial*, **218**
- Quadriceps rupture
 - Bilateral rupture of the quadriceps tendon with anabolic steroids, **77**
- Quality of life
 - Personal health benefits of Masters athletics competition, **35**
- Racquet sports
 - Traumatic arteriovenous fistula of the superficial temporal vessels, **275**
- Rating of perceived exertion
 - Relative to ventilatory threshold in women, **57**
- Risk factors
 - Epidemiology of sports and exercise related injury in the UK, **232**
- Rowing
 - Catecholamine and cortisol levels in Oxford college rowers, **174**
 - Effect of exercise training programme on bone mineral density, **85**
 - Physical and physiological profiles of Malaysian dragon boat rowers, **13**
- Rugby
 - The estimation of body density in rugby union football players, **46**
 - Anthropometric and physical performance characteristics of rugby players, **263**
- Running
 - Eccentric activation and muscle damage during downhill running, **89**
 - Relation between the number of events and the number of people injured, **126**
 - Prediction of endurance running performance in older runners, **20**
 - Relation of speed of a mile run and maximum oxygen consumption, **271**
 - Reproducibility of cardiorespiratory measurements during submaximal and maximal running in children, **66**
- Safety
 - Implications of health and safety legislation for the professional sportsperson, **5**
- Safety mats
 - Injuries on British climbing walls, **168**
- Salmeterol
 - Doping taboos: *letter*, **279**
- Scuba diving
 - Ventilatory response to ambient temperature and pressure in, **185**
- Shin pad
 - New correlation equations for the Johnson antishear device and standard shin pad in the isokinetic assessment of the knee, **171**
- Shoulder extension and flexion
 - Bilateral isokinetic variables of the shoulder, **105**
- Skiing injury
 - The increasing workload, **252**
- Specialism
 - Specialism in sports medicine – at last? *editorial*, **3**
- Spiked washer
 - Surgical repair of traumatic medial disruption of the elbow, **139**
- Spondylolisthesis
 - Surgical stabilization in a wrestler, **10**
- Sports medicine
 - Editorial* – Sports medicine on the line? *correspondence*, **72**

- Specialism in sports medicine – at last? *editorial*, 3
- Sports specific fitness
Physiological profiles of Asian elite squash players, **158**
Of elite badminton players, **153**
- Sprint/endurance performance
Relation between carbon dioxide sensitivity and performance in young swimmers, **129**
- Squash
Physiological profiles and sport specific fitness, **158**
Traumatic arteriovenous fistula of the superficial temporal vessels, **275**
- Stress
Meditation: a modulator of the immune response to physical stress? **255**
- Sweat rate
Thermoregulation of exercising men, **113**
- Swimmers
Relation between carbon dioxide sensitivity and sprint or endurance performance, **129**
- Swimming pool slide burns
Wild water rapid burns, **208**
- Synchronized swimming
Do the competition rules encourage hypoxia? **16**
- Taekwondo
Precompetition injury and subsequent tournament performance, **258**
- Talar tilt
Chronic ankle instability: the value of talar tilt under anaesthesia, **103**
- Temperature regulation
Thermoregulation of exercising men, **113**
- Temporal arteries
Traumatic arteriovenous fistula of the superficial temporal vessels, **275**
- Tendon suture
Surgical treatment of ruptures of the Achilles tendon, **121: letter**, **279**
- Tennis
Amino acid metabolism in tennis, **28**
- Tolerance
Pain tolerance in ballet dancers, **31**
- Track and field
Blood lactate levels of decathletes, **80**
- Training
Editorial – Sports medicine on the line? *correspondence*, **72**
- Underwater weighing method
A new gas dilution method for measuring body volume, **134**
- Ventilatory adaptation
Poor ventilatory response to mild hypoxia after carotid surgery, **110**
- Ventilatory responses
Response to ambient temperature and pressure in sport diving, **185**
- Ventilatory threshold
Perceived exertion, heart rate, and ventilatory threshold, **57**
- Vertebral artery
Traumatic carotid and vertebral artery dissection in a jockey, **143**
- Volleyball injuries
Volleyball injuries presenting in casualty: a prospective study, **200**
- Wild water rapid burns, **208**
- Wrestling
Surgical stabilization of spondylolisthesis in a wrestler, **10**
- contact taekwondo, **258**

Author Index

- Abatzides G *see* Mandroukas K *et al*
- Aggelopoulou N *see* Mandroukas K *et al*
- Aitchison T *see* Grant S *et al*
- Allen MJ *see* McCaskie AW *et al*
- Amjad AM *see* Grant S *et al*
- Anderson MJ *see* McGurk SP *et al*
- Armstrong N *see* Tolfrey K and Armstrong N
- Baltzopoulos V *see* Eston RG *et al*
- Bass A, Lovell ME
Two cases of acetabular fractures sustained during competitive cycling, **205**
- Batt M
Editorial – Sports medicine on the line? *correspondence*, **72**
- Beaulieu P *et al*
Blood lactate levels of decathletes during competition, **80**
- Bell W
The estimation of body density in rugby union football players, **46**
- Bensch C *see* Beaulieu P *et al*
- Blanksby BA *see* McGurk SP *et al*
- Bradley VP *see* Lovell ME and Bradley VP
- Buchanan D *see* Unnithan VB *et al*
- Campbell MJ *see* Fletcher J *et al*
- Carroll SM *et al*
110 sports related facial fractures, **194**
- Chalmers DJ *see* Quarrie KL *et al*
- Chan K *see* So RCH *et al*
- Chan KM *see* Li CK *et al*
- Chien P *see* Li CK *et al*
- Chin M *see* So RCH *et al*
- Chin M-K *et al*
Physiological profiles and sport specific fitness of Asian elite squash players, **158**
- Chin M-K *et al*
Sport specific fitness testing of elite badminton players, **153**
- Christoulas K *see* Mandroukas K *et al*
- Clark CR *see* Chin M-K *et al*
- Clark M *see* Shephard RJ *et al*
- Cohen B *et al*
Effect of exercise training programme on bone mineral density in novice college rowers, **85**
- Coleman P *see* Nicholl JP *et al*
- Combalia-Aleu A
Surgical treatment of dislocations of the acromioclavicular joint, *letter*, **210**
- Condon KC *see* Crowley PJ *et al*
- Corbett K *see* Grant S *et al*
- Crowley MJ *see* Crowley PJ *et al*
- Crowley PJ *et al*
Value of wearing head protection gear while playing hurling, **191**
- Dardouri H *see* Crowley PJ *et al*
- Das SK, Dutta A
Relation of speed of a mile run, maximum energy cost of running, and maximum oxygen consumption: a field study, **271**
- Datti R *et al*
Acute intracranial epidural haematoma in a basketball player: a case report, **95**
- Davies BN *et al*
Do the competition rules of synchronized swimming encourage undesirable levels of hypoxia? **16**
- Davies PTG *see* Fletcher J *et al*
- Dickinson C *see* Swaine IL *et al*
- Donaldson GC *see* Davies BN *et al*
- Dudfield M *see* Swaine IL *et al*
- Duperly J *see* Strüder HK *et al*
- Dutta A *see* Das SK and Dutta A
- Elliott B *see* Hopper D *et al*
- Emmett J *see* Swaine IL *et al*
- Eston RG, Fung L
Validity of conventional anthropometric techniques for predicting body composition, **52**
- Eston RG *et al*
Eccentric activation and muscle damage: biomechanical and physiological considerations during downhill running, **89**
- Featherstone T
MRI diagnosis of accessory soleus muscle strain, **276**
- Feehan M, Waller AE
Precompetition injury and subsequent tournament performance in full-
- Finlay D *see* McCaskie AW *et al*
- Fletcher J *et al*
Traumatic carotid and vertebral artery dissection in a jockey, **143**
- Florida-James G, Reilly T
The physiological demands of Gaelic football, **41**
- Foster ME *see* Williams P and Foster ME
- Freeman BJC, Rooker GD
Spontaneous rupture of the anterior cruciate ligament after anabolic steroids, **274**
- Fuller CW
Implications of health and safety legislation, **5**
- Fung L *see* Eston RG and Fung L
- Gale DW *see* McCaskie AW *et al*
- Garcés GL, Rasines JL
Surgical stabilization of spondylolisthesis in a wrestler, **10**
- Gentile SL *see* Datti R *et al*
- Grange C *see* Beaulieu P *et al*
- Grant S *et al*
A comparison of methods of predicting maximum oxygen uptake, **147**
- Halvorsen R *see* Solberg EE *et al*
- Handcock P *see* Quarrie KL *et al*
- Harrison GA *see* Pearson R *et al*
- Holen A *see* Solberg EE *et al*
- Hollmann W *see* Strüder HK *et al*
- Hopper D *et al*
A descriptive epidemiology of netball injuries during competition, **223**
- Hsu SYC *see* Li CK *et al*
- Hutton WC *see* Matava MJ and Hutton WC
- Ingier F *see* Solberg EE *et al*
- Inoue G, Kuwahata Y
Surgical repair of traumatic medial disruption of the elbow, **139**
- Jacobsen BW *see* Solgård L *et al*
- Jawad MA *see* Carroll SM *et al*
- Jensen J *see* Solgård L *et al*
- Joels N *see* Davies BN *et al*

- Karamouzis M *see* Mandroukas K *et al*
 Kavanagh T *see* Shephard RJ *et al*
 Keen P *et al*
 Leucocyte and erythrocyte counts during a multi-stage cycling race, **61**
 Krueger-Franke M *et al*
 Surgical treatment of ruptures of the Achilles tendon, **121**
 Kubitz KA *see* O'Connor PJ *et al*
 Kuchiki T *see* Nagao N *et al*
 Kuwahata Y *see* Inoue G and Kuwahata Y
- Laggner AN *see* Roeggla G *et al*
 Lalor J *see* Hopper D *et al*
 Laskey MA *see* Cohen B *et al*
 Lehto MUK *see* Mäenpää H and Lehto MUK
 Lewis T *see* Fletcher J *et al*
 Li CK *et al*
 A quantifiable approach in the comparison of isokinetic assessment data, **171**
 Limb D Injuries on British climbing walls, **168**
 Liow RYL, Tavares S
 Bilateral rupture of the quadriceps tendon associated with anabolic steroids, **77**
 Lo DTL *see* Chin M-K *et al*
 Lovell ME, Bradley VP
 Bungee running: a further report, **12**
 Lovell ME *see also* Bass A and Lovell ME
- McCarthy DA *see* Keen P *et al*
 McCaskie AW *et al*
 Chronic ankle instability: the value of talar tilt under general anaesthesia, **103**
 McGurk SP *et al*
 The relationship between carbon dioxide sensitivity and sprint or endurance performance in young swimmers, **129**
 Mäenpää H, Lehto MUK
 Surgery in acute patellar dislocation, **239**
 Maffulli N
 Achilles tendon rupture: *letter*, **279**
 Mandroukas K *et al*
 Atrial natriuretic factor responses to submaximal and maximal exercise, **248**
 Mars JS, Pimenides D
 Blinding choroidal rupture in a karateka, **273**
 Martikala V *see* Oksa J *et al*
 Matava MJ, Hutton WC
 A biomechanical comparison between the central one-third patellar tendon and the residual tendon, **178**
 Mertens DJ *see* Shephard RJ *et al*
 Mickleborough J *see* Eston RG *et al*
 Millett PJ *see* Cohen B *et al*
 Mist B *see* Cohen B *et al*
 Moller-Madsen B *see* Solgård L *et al*
 Muller FLL
 A field study of the ventilatory response to ambient temperature and pressure in sport diving, **185**
 Murray LA *see* Unnithan VB *et al*
 Murty D *see* Swaine IL *et al*
- Nagao M *see* Nagao N *et al*
 Nagao N *et al*
 A new gas dilution method for measuring body volume, **134**
 Nakayama H *see* Torii M *et al*
 Nicholl JP *et al*
 The epidemiology of sports and exercise related injury in the UK, **232**
 Nielsen AB *see* Solgård L *et al*
- Nimmo MA
 Monitoring altitude acclimatization in an elite woman athlete, **24**
- O'Connor PJ *et al*
 Anxiety responses to maximal exercise testing, **97**
 O'Connor TPF *see* Carroll SM *et al*
 Oksa J *et al*
 Cardiorespiratory strain of a five day jogging relay, **165**
 Otzto H *see* Beaulieu P *et al*
- Passfield L *see* Keen P *et al*
 Paton JY *see* Unnithan VB *et al*
 Pearson R *et al*
 Catecholamine and cortisol levels in Oxford college rowers, **174**
 Petruzzello SJ *see* O'Connor PJ *et al*
 Pimenides D *see* Mars JS and Pimenides D
 Pisani R *see* Datti R *et al*
- Quarrie KL *et al*
 The New Zealand rugby injury and performance project. III
 Anthropometric and physical performance characteristics, **263**
 Qureshi S *see* Shephard RJ *et al*
- Rappel R *see* Robbins S *et al*
 Rasines JL *see* Garcés GL and Rasines JL
 Reilly T *see* Florida-James G and Reilly T
 Rigg KM *see* Stubington SR and Rigg KM
 Rissanen S *see* Oksa J *et al*
 Robbins S *et al*
 Ankle taping improves proprioception before and after exercise, **242**
 Robinson TL *see* O'Connor PJ *et al*
 Roeggla G *et al*
 Poor ventilatory response to mild hypoxia may inhibit acclimatization at moderate altitude in elderly patients after carotid surgery, **110**
 Roeggla M *see* Roeggla G *et al*
 Rooker GD *see* Freeman BJC and Rooker GD
 Rose FD *see* Tajet-Foxell B and Rose FD
 Rushton N *see* Cohen B *et al*
- Sasaki T *see* Torii M *et al*
 Scherzer S *see* Krueger-Franke M *et al*
 Shaker HAA *see* Keen P *et al*
 Shephard RJ *et al*
 Personal health benefits of Masters athletics competition, **35**
 Siebert CH *see* Krueger-Franke M *et al*
 Singh HJ *see* Singh R *et al*
 Singh R *et al*
 Physical and physiological profiles of Malaysian dragon boat rowers, **13**
 Sirisinghe RG *see* Singh R *et al*
 Siu OT *see* Chin M-K *et al*; So RCH *et al*
 So RCH *et al*
 Bilateral isokinetic variables of the shoulder: a prediction model, **105**
 So RCH *see also* Chin M-K *et al*
 Solberg EE *et al*
 Meditation: a modulator of the immune response to physical stress? **255**
 Solgård L *et al*
 Volleyball injuries presenting in casualty: a prospective study, **200**
 Sperry P At last? *editorial*, **3**
 Doping taboos: *editorial*, **75**
 Stanislas M *see* Williams RL *et al*
 Steininger K *see* Chin M-K *et al*
 Strüder HK *et al*
 Amino acid metabolism in tennis and its possible influence on the neuroendocrine system, **28**
- Stubington SR, Rigg KM
 Traumatic arteriovenous fistula of the superficial temporal vessels: a case for protective headgear when playing squash? **275**
 Sundgot-Borgen J *see* Solberg EE *et al*
 Swaine IL *et al*
 Rating of perceived exertion and heart rate relative to ventilatory threshold in women, **57**
 Sweetnam DIS *see* Williams RL *et al*
- Tajet-Foxell B, Rose FD
 Pain and pain tolerance in professional ballet dancers, **31**
 Takeshima N, Tanaka K
 Prediction of endurance running performance for middle-aged and older runners, **20**
 Tamaki K *see* Nagao N *et al*
 Tanaka K *see* Takeshima N and Tanaka K
 Tavares S *see* Liow RYL and Tavares S
 Thomas J *see* Beaulieu P *et al*
 Timmons JA *see* Unnithan VB *et al*
 Tolfrey K, Armstrong N
 Child-adult differences in whole blood lactate responses to incremental treadmill exercise, **196**
 Toomey MJ *see* Quarrie KL *et al*
 Torii M *et al*
 Thermoregulation of exercising men in the morning rise and evening fall phases of internal temperature, **113**
 Tunstall Pedoe D
 Heart or lung failure: what causes exertional, high altitude, and cold immersion pulmonary oedema? *editorial*, **218**
- Uitenbroek DG
 The mathematical relationship between the number of events in which people are injured and the number of people injured, **126**
 Ungpakorn G *see* Pearson R *et al*
 Unnithan VB *et al*
 Reproducibility of cardiorespiratory measurements during running in children, **66**
- Wade AJ *see* Keen P *et al*
 Wagner A *see* Roeggla G *et al*
 Waked E *see* Robbins S *et al*
 Waller AE *see* Feehan M and Waller AE
 Waller AE *see also* Quarrie KL *et al*
 Watson AWS
 Physical and fitness characteristics of successful Gaelic footballers, **229**
 Weber K *see* Strüder HK *et al*
 West M *see* Carroll SM *et al*
 Williams BT *see* Nicholl JP *et al*
 Williams P, Foster ME
 'Gilmore's groin' – or is it? **206**
 Williams RL *et al*
 Skiing injuries: the increasing workload, **252**
 Wilson BD *see* Quarrie KL *et al*
 Wilson J *see* Grant S *et al*
 Wolstenholme RJ
 Doping taboos: *letter*, **279**
 Wong ASK *see* Chin M-K *et al*
 Wong WN *see* Li CK *et al*
 Wright JB
 Wild water rapid burns, **208**
- Yde J *see* Solgård L *et al*
- Zakas A *see* Mandroukas K *et al*

Notes for Authors

Scope

The *British Journal of Sports Medicine* covers all aspects of sports medicine and science – the management of sports injuries; all clinical aspects of exercise, health and sport: exercise physiology and biophysical investigation of sports performance; sports psychology; physiotherapy and rehabilitation in sport; and medical and scientific support of the sports coach.

Types of Paper

Original papers (not normally over 3000 words, full length accounts of original research)

Review articles (up to 4000 words, providing concise in-depth reviews of traditional and new areas in sports medicine)

Case reports (up to 1000 words, describing clinical case histories with a message).

Refereeing

All contributions are studied by referees whose names are not normally disclosed to authors. On acceptance for publication papers are subject to editorial amendment. If rejected, papers and illustrations will not be returned. Authors are solely responsible for the factual accuracy of their papers.

Manuscripts

Authors are urged to write as concisely as possible. Four copies should be submitted, typed on only one side of the paper (quarto or A4) in double-spacing with a margin of 30 mm at the top and bottom and on both sides. Papers should be arranged in the following order of presentation: title of paper; names and qualifications of the authors; address of the place at which the work was carried out; an abstract of the paper (100–200 words in length); 4–6 keywords; the text; acknowledgements (if any); references; tables; abbreviated title for use as a running headline; captions to figures (on separate sheet of paper).

Accepted revised manuscripts should be submitted as hard copy **and when possible on disk** (not Macintosh format). Detailed instructions will be sent to authors before this stage.

Illustrations

Drawings and graphs should be on heavy white paper/card or blue-lined coordinate paper using black ink. Label axes appropriately and clearly. Please use a selection of the following symbols: +, ×, □, ○, △, ▽, ■, ●, ▲, ▼. Photographs should be of fine quality, large glossy prints suitable for reproduction and the top should be indicated. Negatives, transparencies or x ray films should not be supplied; any such material should be submitted in the form of photographic prints. Authors are asked where possible to draw diagrams to widths, including lettering, of 168 mm or 354 mm. During photographic reproduction, the diagrams are reduced to half size. The maximum height at drawn size is 500 mm. Authors are asked to use the minimum amount of descriptive matter on graphs and drawings but rather to refer to curves, points etc. by symbols and place the descriptive matter in the caption. Three copies of each illustration are required and these should be numbered in a consecutive series of figures using Arabic numerals. Legends should be typed in double spacing on a separate page but grouped together. Each figure should be identified on the back – figure number and name of the author. Figures which have been published elsewhere should be accompanied by a form of permission to reproduce, obtained from the original publisher.

References

These should be indicated in the text by superscript Arabic numerals which run consecutively through the paper. The references should be grouped in a section at the end of the text in numerical order and should take the form; author's names and initials; title of article; abbreviated journal title; year of publication; volume number; page numbers. If in doubt authors should always write the journal title in full. References to a book should take the form: author's surname, followed by initials; title of chapter; editors (if any); title of book; volume number/edition (if any); place of publication; name of publishers; year of publication and page numbers. Where a paper is cited more than once in the text, the same superior numeral should be used on each occasion. e.g.

21 Sperryn PN. *Sport and medicine*. London. Butterworths, 1983.

22 Ellitsgaard N, Warburg F. Movements causing ankle fractures in parachuting. *Br J Sports Med* 1989; 23; 27–9.

Tables

Tables should be typed on separate sheets together with a suitable caption at the top of each table. Column headings should be kept as brief as possible, and indicate units of measurement in parentheses. Tables should not duplicate information summarized in illustrations.

Footnotes

Footnotes should be used sparingly. They should be indicated by asterisks (*), daggers (†), and double daggers (‡), in that order. In the manuscript, a footnote should be placed at the bottom of the page on which it is referred to and separated from the main text by a horizontal line above the footnote. Footnotes to tables should be placed at the bottom of the table to which they refer.

Drugs, Abbreviations and Units

Drugs should be referred to by their approved, not proprietary, names, and the source of any new or experimental materials should be given. If abbreviations are used these should be given in full the first time they are mentioned in the text. Scientific measurements should be given in SI units, but blood pressure should continue to be expressed in mm Hg.

Proofs

Authors are responsible for ensuring that all manuscripts (whether original or revised) are accurately typed before final submission. Two sets of proofs will be sent to the author before publication, one of which should be returned promptly (by Express Air Mail if outside UK). The publishers reserve the right to charge for any changes made at the proof stage (other than printers errors) since the insertion or deletion of a single word may necessitate the resetting of whole paragraphs.

Submission

Four copies of the complete manuscript and illustrations should be sent to The Editor, *British Journal of Sports Medicine*, BMJ Publishing Group, Tavistock Square, London WC1H 9JR. Telephone number: 0171 383 6209. Fax number: 0171 383 6668.

All material submitted for publication is assumed to be submitted exclusively to the *British Journal of Sports Medicine*. All contributing authors must sign a letter of consent to publication. The editor retains the customary right to style and if necessary shorten material accepted for publication. Manuscripts will be acknowledged on receipt. Authors should keep one copy of their manuscript for reference. Authors should include their names and initials and not more than one degree each.