## Appendix 3 Table 1 Characteristics of the included studies

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[1]	Adamsen 2009	Denmark	Mixed	Breast	During	EORTC-Fatigue	Control	134 (117)	Combined	135 (118)		
[2]	Ahles 1999	USA	HSCT		During	NRS	Control	18 (17)	Massage	16 (16)		
[3]	Al-Majid 2015	USA	Breast		During	Revised Piper Fatigue Scale	Control	7 (7)	Aerobic	7 (7)		
[4]	Alibhai 2014	Canada	AML		After	FACT-F	Control	18 (17)	Combined	22 (19)		
[5]	Alibhai 2015	Canada	AML		During	FACT-F	Control	24 (20)	Combined	59 (50)		
[6]	Andersen 2013	Denmark	Mixed	Breast	During	FACT-AN Fatigue Subscore	Control	134 (107)	Combined	135 (106)		
[7]	Armes 2007	UK	Mixed	Colon	During	VAS-F	Control	27 (22)	CBT_PsychoSocial	28 (22)		
[8]	Backman 2014	Sweden	Mixed	Breast	During	EORTC QLQC30 Fatigue	Control	36 (33)	Aerobic	35 (34)		
[9]	Badger 2011	USA	Prostate		After	MFI	Control	35 (34)	CBT_PsychoSocial	36 (34)		
[10]	Baker 2012	UK	Breast		During	POMS	Control	6 (6)	CBT_PsychoSocial	6 (6)		
[11]	Banasik 2011	USA	Breast	Breast	After	Fatigue Score	Control	9 (7)	Yoga	9 (7)		
[12]	Bantum 2014	USA	Mixed	Breast	After	BFI	Control	176 (156)	CBT_PsychoSocial	176 (147)		
[13]	Bargi 2016	Turkey	HSCT		After	FIS	Control	27 (18)	Inspiratory Muscle Training	28 (20)		
[14]	Barsevick 2004	USA	Mixed	Breast	During	POMS-F	Control	196 (196)	CBT_PsychoSocial	200 (200)		
[15]	Barsevick 2010	USA	Mixed		During	POMS-F	Control	139 (134)	CBT_PsychoSocial	153 (142)		
[16]	Basen-Enquist 2006	USA	Breast		After	SF-36-vitality	Control	25 (23)	CBT_PsychoSocial	35 (28)		
[17]	Battaglini 2006	USA	Breast		During	Piper	Control	10 (10)	Combined	10 (10)		
[18]	Baumann 2010	Germany	HSCT		During	EORTC QLQ-C30	Control	32 (25)	Combined	32 (24)		
[19]	Baumann 2011	Germany	HSCT		During	EORTC QLQ-C 30	Control	23 (16)	Combined	24 (17)		
[20]	Bennett 2007	New Zealand	Mixed	Breast	After	Schwartz Cancer Fatigue Scale	Control	28 (26)	CBT_PsychoSocial	28 (20)		
[21]	Berglund 1994	Sweden	Mixed	Breast	After	Physical Strength and Activity Subscale "Tiredness"	Control	101 (95)	Combined	98 (89)		
[22]	Boesen 2005	Denmark	Melanoma		After	POMS CHANGE	Control	131 (129)	CBT_PsychoSocial	131 (112)		
[23]	Bourke 2011 Feasibility	UK	Prostate		After	FACT-F	Control	25 (22)	Combined	25 (21)		
[24]	Bourke 2011 pilot	UK	Colorectal		After	FACT-F	Control	9 (9)	Combined	9 (8)		
[25]	Bourke 2014	UK	Mixed		After	FACT-F	Control	50 (43)	Combined	50 (43)		
[26]	Bower 2012	USA	Breast		After	SFI Fatigue Symptom Inventory	Control	15 (15)	Yoga	16 (16)		
[27]	Bower 2015	USA	Breast		After	FSI	Control	32 (30)	CBT_Psychosocial	39 (35)		
[28]	Bridge 1988	UK	Breast		During	POMS-Fatigue	Control	48 (46)	Relaxation	91 (82)		
[29]	Broderick 2013	Ireland	Mixed	Breast	After	FACIT-F	Control	20 (19)	Aerobic	23 (21)		
[30]	Brown 2006	USA	Mixed	Gastrointestinal	During	POMS-Fatigue	Control	58 (54)	CombinedCBT	57 (49)		
[31]	Burnham 2002	USA	Mixed	Breast	After	LASA Fatigue	Control	7 (6)	Aerobic	14 (12)		

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[32]	Cadmus 2009 Impact	USA	Breast		During	SF-36 vitality	Control	25 (25)	Aerobic	25 (25)		
[33]	Cadmus 2009 Yes	USA	Breast		After	SF-36 vitality	Control	38 (37)	Aerobic	37 (37)		
[34]	Caldwell 2009	USA	Breast		During	SCFS Fatigue	Control	10 (9)	Combined	12 (8)		
[35]	Campbell 2005	UK	Breast		During	Revised Piper Fatigue Scale	Control	10 (9)	Combined	12 (10)		
[36]	Campo 2013	USA	Mixed	Breast	After	SF-36 vitality	Control	31 (25)	TaiChi	32 (29)		
[37]	Campo 2014	USA	Prostate		After	FACIT-F	Relaxation	20 (13)	TaiChi	20 (16)		
[38]	Cantarero-Villanueva 2011	Spain	Breast		After	PFS	Control	40 (35)	Combined	38 (32)		
[39]	Cantarero-Villanueva 2013	Spain	Breast		After	Piper Fatigue Scale	Control	34 (29)	Aerobic	34 (32)		
[40]	Carson 2009	USA	Breast		After	Fatigue scale	Control	20 (17)	Yoga	16 (13)		
[41]	Cerulli 2014	Italy	Breast		After	FACIT-F	Control	10 (10)	Aerobic	10 (10)		
[42]	Chakrabarty 2014	India	Breast		During	Cancer Fatigue Scale	Control	80 (80)	Yoga	80 (80)		
[43]	Chan 2011	China	Lung		During	Piper Fatigue Scale	Control	70 (59)	CBT_PsychoSocial	70 (68)		
[44]	Chan 2016	Singapore	Breast		After	QLQ-C30 Fatigue	Control	43 (38)	CBT_Psychosociial	45 (34)		
[45]	Chandwani 2010	USA	Breast		During	BFI Fatigue	Control	31 (31)	Yoga	30 (27)		
[46]	Chandwani 2014	USA	Breast		During	Brief Fatigue Inventory	Control	54 (48)	Yoga	53 (49)	Relaxation	56 (52)
[47]	Chang 2008	China	AML		During	BFI	Control	12 (11)	Aerobic	12 (11)		
[48]	Chen 2011	China	Head and Neck		After	R-PFS	Control	? (28)	Aerobic	? (28)		
[49]	Chen 2013	China	Breast		During	BFI	Control	47 (47)	TaiChi	49 (49)		
[50]	Cheville 2013	USA	Mixed		After	FACT-F	Control	33 (29)	Combined	33 (26)		
[51]	Choi 2012	Korea	Gastrointestinal		During	Schwartz Fatigue Scale	Control	13 (13)	Aerobic	11 (11)		
[52]	Clark 2006	USA	Mixed	Head & Neck & Breast	During	POMS	Control	28 (21)	Music	35 (28)		
[53]	Classen 2001	USA	Breast		After	POMS	Control	61 (36)	CBT_PsychoSocial	64 (53)		
[54]	Cohen 2004	USA	Lymphoma		After	BFI	Control	19 (19)	Yoga	20 (20)		
[55]	Coleman 2012	USA	Multiple myeloma		During	FACT-F	Control	75 (61)	Combined	91 (80)		
[56]	Cormie 2013	Australia	Prostate		After	MFSI-SF	Control	10 (10)	Resistance	10 (10)		
[57]	Cormie 2015	Australia	Prostate		After	FACT-F	Control	31 (31)	Combined	32 (32)		
[58]	Cornette 2015	France	Breast		During	MFI-20	Control	22 (16)	Combined	22 (19)		
[59]	Courneya 2009	Canada	Lymphoma		During	FACIT-F	Control	62 (62)	Aerobic	60 (60)		
[60]	Courneya 2003a	Canada	Colorectal		During	FACT-F	Control	33 (31)	Aerobic	69 (62)		
[61]	Courneya 2003b	Canada	Breast		After	FACT-F	Control	28 (26)	Aerobic	25 (25)		
[62]	Courneya 2003c	Canada	Mixed	Breast	After	FACT-Fatigue	Control	48 (45)	Aerobic	60 (51)		70
[63]	Courneya 2007	Canada	Breast		During	Fact Fatigue (AN)	Control	82 (73)	Resistance	82 (76)	Aerobic	(74)

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[64]	Courneya 2008	Canada	Solid tumours		During	Fact Fatigue (AN)	Control	29 (29)	Aerobic	26 (26)		
[65]	Cramer 2015	Germany	Breast		After	FACIT-F	Control	21 ()	Yoga	19 ()		
[66]	Cramer colorectal 2015	Germany	Colorectal		After	FACIT-F	Control	27 (27)	Yoga	27 (27)		
[67]	Culos-Reed 2006	Canada	Breast		After	Perceived exertion	Control	18 (18)	Yoga	20 (18)		
[68]	Culos-Reed 2010	Canada	Prostate		After	FSS	Control	47 (24)	Combined	53 (37)		
[69]	Daley 2007	UK	Breast		After	revised Piper Fatige Scale	Control	38 (33)	Aerobic	34 (33)		
[70]	Danaher Hacker 2011	USA	HSCT		During	EORTC QLQ-C30 Fatigue	Control	10 (9)	Resistance	9 (8)		
[71]	Danhauer 2009	USA	Breast		After	FACT Fatigue	Control	22 (14)	Yoga	22 (13)		
[72]	De Luca 2016	Italy	Breast		After	FACT-F	Control	10 (10)	Combined	10 (10)		
[73]	Decker 1992	USA	Mixed	Breast	During	POMS Fatigue	Control	29 (29)	Relaxation	34 (34)		
[74]	Dhruva 2012	USA	Mixed	Breast	During	PFS	Control	23 (8)	Yoga	23 (8)		
[75]	Dibbel-Hope 1989	USA	Breast		After	POMS	Control	17 (16)	Dance	16 (15)		
[76]	Dimeo 1999	Germany	Mixed	Breast	During	POMS Fatigue	Control	33 (32)	Aerobic	29 (27)		
[77]	Dimeo 2004	Germany	Mixed	Lung	After	EORTC-QLQ Fatigue	Relaxation	36 (35)	Aerobic	36 (34)		
[78]	Do 2015	Korea	Breast		After	FSS	Control	106 (30)	Combined	106 (32)		
[79]	Dodd 2010	USA	Mixed		During	Piper Fatigue Scale	Control	39 (37)	Aerobic	44 (37)		
[80]	Dodds 2016	USA	Breast		After	SF-12 vitality	Control	17 (16)	CBT_Psychosocial	16 (12)		
[81]	Dolbeault 2009	France	Breast		After	POMS-Fatigue	Control	101 (87)	CBT_PsychoSocial	102 (81)		
[82]	Donnelly 2011	Ireland	Gynaecological		After	MFSI-SF	Control	17 (17)	CombinedCBT	16 (16)		
[83]	Drouin 2005	USA	Breast		During	revised Piper Fatigue Scale	Control	8 (8)	Aerobic	13 (13)		
[84]	Eakin 2012	Australia	Breast		After	Eakin 2012	Control	70 (69)	Combined	73 (70)		
[85]	Edelman 1999	Australia	Breast		During	POMS Fatigue	Control	62 (49)	CBT_PsychoSocial	62 (43)		
[86]	Ergun 2013	Turkey	Breast		After	Brief Fatigue Inventory	Control	20 (20)	Aerobic	20 (20)	Combined	20 (20)
[87]	Eyigor 2010	Turkey	Breast		After	BFI	Control	25 (15)	Resistance	27 (27)		
[88]	Ferguson 2016	USA	Breast		After	FACT-F	Control	20 (13)	CBT_Psychosocial	27 (22)		
[89]	Fillion 2008	Canada	Breast		After	MFI	Control	46 (43)	CombinedCBT	48 (44)		
[90]	Foster 2015	UK	Mixed		After	BFI	Control	78 (70)	CBT_PsychoSocial	85 (58)		
[91]	Freeman 2015	USA	Breast		After	FACIT-F	Control	47 (44)	CTB_PsychoSocial	71 (60)		
[92]	Fukui 2000	Japan	Breast		After	POMS Fatigue	Control	25 (25)	CBT_PsychoSocial	25 (25)		
[93]	Furzer 2015	Australia	Haematological		After	Schwartz Cancer Fatigue Scale	Control	22 (18)	Combined	22 (19)		
[94]	Galiano-Castill 2016	Spain	Breast		After	Piper Fatigue Scale	Control	41 (36)	Combined	40 (36)		
[95]	Galvao 2010	Australia	Prostate		After	QLQ-C30 Fatigue	Control	28 (28)	Combined	29 (29)		

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[96]	Galvao 2014	Australia	Prostate		After	SF36-Vitality	Aerobic	50 (50)	Combined	50 (50)		
[97]	Garssen 2013	Netherlands	Breast		During	POMS Fatigue	Control	43 (36)	CBT_PsychoSocial	42 (34)		
[98]	Gielissen 2006	Netherlands	Mixed		After	Checklist Individual Strength	Control	56 (48)	CBT_PsychoSocial	56 (50)		
[99]	Goedendorp 2010	Netherlands	Mixed	Breast	During	CIS-F	Control	81 (72)	Aerobic	77 (72)	CombinedCBT	82 (76)
[100]	Gokal 2015	UK	Breast		During	FACT-F	Control	25 (25)	Aerobic	25 (20)		
[101]	Goodwin 2001	Canada	Breast		During	POMS Fatigue CHANGE	Control	77 (45)	CBT_PsychoSocial	158 (102)		
[102]	Hacker 2016	USA	HSCT		During	Chalder Fatigue Scale	Control	38 (34)	Resistance	37 (33)		
[103]	Hagstrom 2016	Australia	Breast		After	FACIT	Control	19 (19)	Resistance	20 (20)		
[104]	Haines 2010	Australia	Breast		During	MFI 3month	Relaxation	43 (36)	Combined	46 (35)		
[105]	Hawkes 2013	Australia	Colorectal		After	FACIT-F	Control	205 (176)	CombinedCBT	205 (171)		
[106]	Hayama 2012	Japan	Gynaecological		During	Cancer Fatigue Scale	Control	13 (12)	Relaxation	12 (11)		
[107]	Hayes 2013	Australia	Breast		After	FACIT-F	Control	60 (60)	Combined	134 (134)		
[108]	Heim 2007	Germany	Breast		After	FACT-F	Control	31 (31)	Combined	32 (32)		
[109]	Heiney 2015	USA	Breast		During	POMS-SF	Control	93 (86)	Dance	92 (82)		
[110]	Ho 2016	China	Breast		During	BFI	Control	75 (70)	Dance	72 (69)		
[111]	Hoffman 2012	UK	Breast		After	POMS-Fatigue	Control	115 (111)	CBT_PsychoSocial	114 (103)		
[112]	Hoffman 2017	USA	Lung		During	BFI	Control	40 (35)	Aerobic	47 (37)		
[113]	Hojan 2016	Poland	Prostate		During	FACT-F	Control	28 (27)	Aerobic	27 (27)		
[114]	Hornsby 2014	USA	Breast		During	FACIT-F	Control	10 (10)	Aerobic	10 (9)		
[115]	Hu 2012	China	Nasopharyngeal		During	BFI	Control	? (40)	Aerobic	? (40)		
[116]	Hubbard 2016	UK	Bowel		After	FACIT-F	Control	20 (16)	CombinedCBT	20 (15)		
[117]	Husebo 2014	Norway	Breast		During	Schwartz Cancer Fatigue Sc.	Control	34 (31)	Combined	33 (29)		
[118]	Hwang 2008	Korea	Breast		During	BFI	Control	20 (20)	Combined	17 (17)		
[119]	Hwang 2012	China	Lung		During	EORTC-QLQ-C30	Control	12 (11)	Aerobic	12 (13)		
[120]	Irwin 2016	USA	Breast		After	FACT-F	Control	91 (83)	Combined	95 (81)		
[121]	Jacobsen 2002	USA	Breast		During	SF-36 Vitality CHANGE	CBT_PsychoSocial	137 (104)	Relaxation	274 (216)		
[122]	Jarden 2009	Denmark	HSCT		During	FACT-AN (Fatigue)	Control	21 (17)	CombinedCBT	21 (17)		
[123]	Jensen 2014	Germany	Gastrointestinal		After	EORTC-QLQ-C30 Fatigue	Resistance	11 (11)	Aerobic	10 (10)		
[124]	Johns 2014	USA	Breast		After	FSI Fatigue Severity	Control	17 (17)	CBT_PsychoSocial	18 (18)		
[125]	Johnston 2011	USA	Breast		After	BFI	Control	7 (7)	CBT_PsychoSocial	6 (5)		
[126]	Jones 2014	USA	Prostate		After	FACT-F	Control	25 (20)	Aerobic	25 (15)		
[127]	Korstjens 2008	Netherlands	Mixed		After	SF-36 Vitality	Control	62 (62)	Combined	71 (71)	CombinedCBT	76 (76)

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[128]	Kampshoff 2015	The Netherlands	Mixed		After	MFI	Control	91 (91)	Combined	186 (186)		
[129]	Kiecolt-Glaser 2014	USA	Breast		After	MFSI-SF Fatigue	Control	100 (90)	Yoga	100 (96)		
[130]	Kim 2005	Korea	HSCT		During	Piper Fatigue Scale	Control	17 (17)	Relaxation	18 (18)		
[131]	Kim 2010	Korea	Breast		After	SF-36 vitality	Control	20 (20)	Resistance	20 (20)		
[132]	Kim 2011	Korea	Breast		After	BFI	Control	22 (22)	CombinedCBT	23 (23)		
[133]	Kim 2013	Korea	Breast		During	Piper Fatigue Scale	Control	51 (51)	Relaxation	51 (51)		
[134]	Knols 2011	Switzerland	HSCT		After	FACT-AN	Control	67 (57)	Combined	64 (57)		
[135]	Kovacs 2012	Hungary	Breast		During	EORTC Fatigue	Control	87 (87)	CombinedCBT	86 (36)		
[136]	Kwiatkowski 2013	France	Breast		After	SF-36 vitality	Control	115 (108)	Combined	117 (114)		
[137]	Larkey 2015	USA	Breast		After	Fatigue Symptom Inventory	Control	52 (44)	TaiChi	49 (40)		
[138]	Lengacher 2012	USA	Breast		After	Fatigue Severity Scale	Control	43 (42)	CBT_PsychoSocial	41 (40)		
[139]	Lengacher 2016	USA	Breast		After	FSI	Control	155 (147)	CBT_Psychosocial	167 (152)		
[140]	Ligibel 2012	USA	Mixed	Breast	After	FACIT-F	Control	60 (51)	Aerobic	61 (48)		
[141]	Ligibel 2016	USA	Breast		During	FACIT-F	Control	53 (43)	Aerobic	48 (32)		
[142]	Litterini 2013	USA	Mixed	Breast	After	Fatigue VAS 100mm	Aerobic	32 (29)	Resistance	34 (23)		
[143]	Littman 2012	USA	Breast		After	FACIT-F	Control	31 (27)	Yoga	32 (30)		
[144]	Loh 2014	Kuala- Lumpur	Breast		After	FACIT-F	Control	66 (32)	Dance	65 (34)	TaiChi	66 (32)
[145]	Loudon 2014	Australia	Breast		After	VAS	Control	13 (11)	Yoga	15 (12)		
[146]	Lutgendorf 2010	USA	Gynaecological		During	FSI	Control	19 (17)	HealingTouch_Polarity	21 (17)	Relaxation	20 (17)
[147]	Lötzke 2016	Germany	Breast		During	EORTC QLQ-C30 Fatigue	Yoga	45 (43)	Combined	47 (46)		
[148]	May 2009	Netherlands	Mixed	Breast	After	EORTC-QLQ-30 Fatigue	CombinedCBT	76 (70)	Combined	71 (66)		
[149]	McKenzie 2003	Canada	Breast		After	Vitality	Control	7 (7)	Combined	7 (7)		
[150]	McNeely 2008	Canada	Head and Neck		After	FACT-An	Control	27 (27)	Resistance	25 (25)		
[151]	McQuade 2016	USA	Prostate		During	BFI	Control	24 (22)	TaiChi	26 (21)	Resistance (19)	26
[152]	Mehnert 2011	Germany	Breast		After	EORTC-Q	Control	28 (27)	Aerobic	35 (30)		
[153]	Midtgaard 2013	Denmark	Mixed	Breast	After	EORTC QLQ-C30	Control	106 (80)	CombinedCBT	108 (73)		
[154]	Miladinia 2017	Iran	AML		During	NRS Fatigue	Control	31 (30)	Massage	33 (30)		
[155]	Milne 2008	Australia	Breast		After	Schwartz Cancer Fatigue Scale	Control	29 (29)	Combined	29 (29)		
[156]	Moadel 2007	USA	Breast		After	FACIT-F	Control	56 (44)	Yoga	108 (84)		
[157]	Mock 2005	USA	Breast		During	Piper Fatigue Scale	Control	59 (54)	Aerobic	60 (54)		
[158]	Molassiotis 2015	UK / Cyprus	Thoracic Malignancies		After	CRDQ-Fatigue	Control	23 (18)	Inspiratory Muscle Training	24 (18)		
[159]	Monga 2007	USA	Prostate		During	Piper Fatigue Scale	Control	10 (10)	Aerobic	11 (11)		

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[160]	Montgomery 2014	USA	Breast		During	FACIT-F	Control	100 (96)	CBT_PsychoSocial	100 (95)		
[161]	Moros 2010	Spain	Breast		During	EORTC-30	Control	11 (7)	Aerobic	11 (10)		
[162]	Mustian 2009	USA	Mixed	Breast	During	FACIT-F	Control	19 (19)	Combined	19 (19)		
[163]	Mustian 2011	USA	Breast		During	Brief Fatigue Inventory	Control	15 (15)	HealingTouch_Polarity	13 (13)	Massage	15 (15)
[164]	Mutrie 2007	UK	Breast		During	FACT-F	Control	102 (92)	Combined	101 (82)		
[165]	Naraphong 2014	Thailand	Breast		During	Piper Fatigue Scale	Control	12 (12)	Aerobic	11 (10)		
[166]	O'Brien 2013	Australia	Mixed	Breast	During	FACT-F	Control	15 (13)	CBT_PsychoSocial	15 (14)		
[167]	Oh 2008	Australia	Mixed		During	EORTC-30 Fatigue	Control	15 (10)	TaiChi	15 (8)		
[168]	Oh 2010	Australia	Mixed		After	FACT-F	Control	83 (83)	TaiChi	79 (79)		
[169]	Oldervoll 2011	Norway	Mixed		After	Multidimensional Fatigue Inventory	Control	110 (110)	Combined	121 (121)		
[170]	Pinto 2003	USA	Breast		After	POMS-Fatigue	Control	12 (6)	Aerobic	12 (12)		
[171]	Pinto 2005	USA	Breast		After	Linear analogue fatigue scale	Control	43 (41)	Aerobic	43 (43)		
[172]	Pinto 2013 Breast	USA	Breast		After	FACT-F	Control	86 (84)	Aerobic	106 (89)		
[173]	Pinto 2013	USA	Colorectal		After	FACT-F	Control	26 (24)	Aerobic	20 (19)		
[174]	Pinto 2015	USA	Breast		After	FACIT-F	Control	37 (37)	Aerobic	39 (39)		
[175]	Poorkiani 2010	Iran	Breast		After	EORTC QLQ-C30	Control	33 (30)	CombinedCBT	33 (27)		
[176]	Post-White 2003	USA	Mixed	Breast	During	POMS-Fatigue	Control	75 (45)	HealingTouch_Polarity	77 (56)	Massage	78 (62)
[177]	Prinsen 2013	Netherlands	Mixed		After	Checklist Individual Strength	Control	14 (14)	CombinedCBT	50 (23)		
[178]	Pruthi 2012	USA	Breast		During	Brief Fatigue Inventory	Control	15 (14)	Yoga	15 (14)		
[179]	Purcell 2011	Australia	Mixed	Breast & prostate	During	MFI	Control	28 (24)	CBT_PsychoSocial	27 (21)		
[180]	Rabin 2012	USA	Breast		After	POMS Fatigue	Control	10 (10)	Aerobic	8 (7)		
[181]	Rahmani 2015	Iran	Breast		During	Fatigue Severity Scale	Control	12 (12)	CombinedCBT	12 (12)		
[182]	Rauchfuß 2010	Germany	Breast		After	SF-8 Vitality	Control	36 (29)	Massage	50 (43)		
[183]	Ream 2006	UK	Mixed	Breast	During	Global measure of Fatigue	Control	55 (43)	CBT_PsychoSocial	48 (43)		
[184]	Ream 2015	UK	Breast	Colorectal	During	BFI	Control	21 (20)	CBT_Psychosocial	23 (18)		
[185]	Reich 2014	USA	Breast		After	MDASI Fatigue	Control	24 (24)	CBT_PsychoSocial	17 (17)		
[186]	Reif 2013	Germany	Mixed		After	Fatigue Assessment Questionnaire	Control	129 (114)	CBT_PsychoSocial	132 (120)		
[187]	Reis 2013	USA	Breast		During	FACIT-F	Control	19 (17)	Aerobic	22 (12)		
[188]	Rief 2014	Germany	Spinal Bone metastases		During	EORTC QLQ FA13	Control	30 (22)	Resistance	30 (25)		
[189]	Rogers 2009	USA	Breast		After	FACT-F	Control	20 (17)	Aerobic	21 (20)		
[190]	Rogers 2013	USA	Head and Neck		During	FACT-F	Control	8 (8)	Resistance	7 (7)		
[191]	Rogers 2014	USA	Breast		After	Fatigue Symptom Inventory	Control	24 (22)	Combined	22 (20)		

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[192]	Rogers 2016	USA	Breast		After	FSI	Control	112 (109)	Aerobic	110 (110)		
[193]	Saarto 2012	Finland	Breast		After	FACIT-F	Control	271 (237)	Aerobic	302 (263)		
[194]	Sadeghi 2016	Iran	Breast		After	CRF	Control	66 (66)	CBT_PsychoSocial	69 (69)		
[195]	Santa Mina 2013	Canada	Prostate		During	FACT-F	Aerobic	32 (32)	Resistance	34 (34)		
[196]	Schjolberg 2014	Norway	Breast		During	Fatigue Questionnaire	Control	81 (63)	CBT_PsychoSocial	79 (29)		
[197]	Schmidt 2012	Germany	Breast		After	EORTC QLQ C30	Control	19 (18)	Resistance	19 (15)		
[198]	Schmidt 2014	Germany	Breast		During	FAQ	Relaxation	49 (46)	Resistance	52 (49)		
[199]	Schuler 2017	Germany	Mixed	Sarcoma	During	MFI	Control	24 (20)	Combined	46 (36)		
[200]	Segal 2001	Canada	Breast		During	SF-36 vitality	Control	41 (41)	Aerobic	82 (82)		
[201]	Segal 2003	Canada	Prostate		After	FACT-F	Control	73 (73)	Resistance	82 (82)		
[202]	Segal 2009	Canada	Prostate		During	FACT-F	Control	41 (40)	Resistance	40 (34)	Aerobic	40 (38)
[203]	Shang 2012	USA	Mixed	Prostate	During	Piper Fatigue Scale	Control	58 (58)	Combined	68 (68)		
[204]	Sohl 2016	USA	Colorectal		During	FACT-F	Control	7 (5)	Yoga	8 (6)		
[205]	Spahn 2013	Germany	Breast		After	MFI	Aerobic	32 (25)	CombinedCBT	32 (30)		
[206]	Speca 2000	Canada	Mixed	Breast	During	POMS-Fatigue	Control	48 (37)	Relaxation	61 (53)		
[207]	Sprod 2010	USA	Breast		After	Piper Fatigue Inventory Total Score	Control	17 (17)	Combined	97 (97)		
[208]	Sprod 2012	USA	Breast		After	SF-36 vitality	Control	10 (10)	TaiChi	11 (9)		
[209]	Sprod 2015	USA	Mixed		After	MFSI	Control	204 (44)	Yoga	206 (53)		
[210]	Stan 2016	USA	Breast		After	MFSI-SF	Resistance	16 (9)	Yoga	18 (14)		
[211]	Stanton 2005	USA	Breast		After	SF-36 vitality	Control	187 (136)	CBT_PsychoSocial	361 (282)		
[212]	Steindorf 2014	Germany	Breast		During	FAQ	Relaxation	80 (78)	Resistance	80 (77)		
[213]	Sturm 2014	Germany	Mixed	Breast	During	NRS Fatigue	Control	20 (20)	Dance	20 (20)		
[214]	Taso 2014	Taiwan	Breast		During	BFI	Control	30 (30)	Yoga	30 (30)		
[215]	Thorsen 2005	Norway	Mixed	Breast	After	EORTC QLQ fatigue	Control	52 (49)	Aerobic	59 (52)		
[216]	Travier 2015	The Netherlands	Breast		During	MFI	Control	102 (89)	Combined	102 (93)		
[217]	Vadiraja 2009 after	India	Breast		After	EORCT-C30 Fatigue	Control	46 (31)	Yoga	45 (35)		
[218]	Vadiraja 2009 during	India	Breast		During	EORCT-C30 Fatigue	Control	33 (33)	Yoga	42 (42)		
[219]	Vallance 2007	Canada	Breast		After	Fatigue Scale	Control	93 (85)	Aerobic	284 (253)		
[220]	Van der Lee 2012	Netherlands	Mixed		After	Checklist Individual Strength	Control	28 (24)	CBT_PsychoSocial	72 (59)		
[221]	Van Vulpen 2016	Netherlands	Colorectal		During	MFI	Control	16 (13)	Combined	17 (15)		
[222]	Vargas 2014	USA	Breast		During	FSI	Control	120 (96)	CBT_PsychoSocial	120 (98)		
[223]	Wang 2011	USA	Breast		During	FACIT-F	Control	37 (32)	Aerobic	35 (30)		

Nr	study	Country	Cancer-type	Main-cancer (in mixed studies)	Time period	Treatment arm 1	Treatment arm 2	Sample size arm 1	Treatment arm 2	Sample size arm 2	Treatment arm 3	Sample Size arm 3
[224]	Wang 2014	China	Breast	,	During	Cancer fatique scale (CFS)	Control	50(42)	Yoga	50(40)		
[225]	Wangnum 2013	Thailand	Lung		During	Piper Fatigue Scale	Control	30 (30)	CombinedCBT	30 (30)		
[226]	Wenzel 2013	USA	Solid tumours		During	Piper Fatigue Scale	Control	65 (58)	Aerobic	73 (68)		
[227]	Willems 2016	Netherlands	Mixed	Breast	After	CIS-F	Control	253 (221)	CBT_PsychoSocial	265 (188)		
[228]	Windsor 2004	UK	Prostate		During	BFI	Control	33 (33)	Aerobic	33 (32)		
[229]	Winters-Stone 2012	USA	Breast		After	Schwartz fatigue	Control	54 (31)	Resistance	52 (36)		
[230]	Winters-Stone 2015	USA	Prostate		After	Schwartz Cancer Fatigue Scale	Relaxation	22 (22)	Resistance	29 (29)		
[231]	Winters-Stone 2016	USA	Prostate		After	Vitality	Control	32 (32)	Resistance	32 (32)		
[232]	Wiskemann 2011	Germany	HSCT		During	MFI fatigue	Control	53 (40)	Combined	52 (40)		
[233]	Xu 2012	China	Breast		During	R-PFS	Control	39 (37)	Aerobic	39 (35)		
[234]	Yagli 2015	Turkey	Breast		After	NHP	Combined	10 (10)	Yoga	10 (10)		
[235]	Yates 2005	Australia	Breast		During	FACT-F	Control	57 (49)	CBT_PsychoSocial	53 (50)		
[236]	Yeo 2012	USA	Pancreas and Periampullary		During	FACIT-F	Control	48 (48)	Aerobic	54 (54)		
[237]	Yuen 2006	USA	Mixed		After	Piper Fatigue Scale	Control	6 (6)	CBT_PsychoSocial	6 (6)		
[238]	Yuen 2007	USA	Breast		After	Piper Fatigue Scale	Control	7 (7)	Aerobic	8 (8)	Resistance	7 (7)
[239]	Yun 2012	Korea	Mixed	Breast	After	BFI	Control	137 (137)	CBT_PsychoSocial	136 (136)		
[240]	Zhang 2016	China	Lung		During	MFSI-SF	Control	48 (44)	TaiChi	48 (47)		
[241]	dos Santos Vigario 2011	Brazil	Thyroid		During	Chalder Fatigue Scale	Control	17 (17)	Aerobic	19 (19)		
[242]	van Waart 2015	Netherlands	Breast		During	MFI Fatigue	Control	77 (66)	Aerobic	77 (69)	Combined	76 (71)
[243]	van Weert 2010	Netherlands	Mixed	Breast	After	MFI	Control	62 (60)	Combined	71 (66)	CombinedCBT	76 (70)
[244]	van der Meulen 2014	Netherlands	Head and Neck		After	EORTC QLQ-C30 Fatigue	Control	102 (91)	CBT_PsychoSocial	103 (88)		
[245]	von Gruenigen 2009	USA	Endometrial		After	FACT-F	Control	22 (22)	CombinedCBT	23 (23)		

## References

- 1. Adamsen L, Quist M, Andersen C, et al. Effect of a multimodal high intensity exercise intervention in cancer patients undergoing chemotherapy: randomised controlled trial. BMJ (Clinical research ed.) 2009;**339**:b3410 doi: 10.1136/bmj.b3410.
- 2. Ahles TA, Tope DM, Pinkson B, et al. Massage therapy for patients undergoing autologous bone marrow transplantation. Journal of pain and symptom management 1999;**18**(3):157-63.
- 3. Al-Majid S, Wilson LD, Rakovski C, Coburn JW. Effects of exercise on biobehavioral outcomes of fatigue during cancer treatment: results of a feasibility study. Biological research for nursing 2015;**17**(1):40-8 doi: 10.1177/1099800414523489.
- 4. Alibhai SM, O'Neill S, Fisher-Schlombs K, et al. A pilot phase II RCT of a home-based exercise intervention for survivors of AML. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2014;**22**(4):881-9 doi: 10.1007/s00520-013-2044-8.

- 5. Alibhai SM, Durbano S, Breunis H, et al. A phase II exercise randomized controlled trial for patients with acute myeloid leukemia undergoing induction chemotherapy. Leukemia research 2015 doi: 10.1016/j.leukres.2015.08.012.
- 6. Andersen C, Rorth M, Ejlertsen B, et al. The effects of a six-week supervised multimodal exercise intervention during chemotherapy on cancer-related fatigue. European journal of oncology nursing : the official journal of European Oncology Nursing Society 2013;**17**(3):331-9 doi: 10.1016/j.ejon.2012.09.003.
- 7. Armes J, Chalder T, Addington-Hall J, Richardson A, Hotopf M. A randomized controlled trial to evaluate the effectiveness of a brief, behaviorally oriented intervention for cancer-related fatigue. Cancer 2007;**110**(6):1385-95 doi: 10.1002/cncr.22923.
- 8. Backman M, Wengstrom Y, Johansson B, et al. A randomized pilot study with daily walking during adjuvant chemotherapy for patients with breast and colorectal cancer. Acta oncologica (Stockholm, Sweden) 2014;**53**(4):510-20 doi: 10.3109/0284186X.2013.873820.
- 9. Badger TA, Segrin C, Figueredo AJ, et al. Psychosocial interventions to improve quality of life in prostate cancer survivors and their intimate or family partners. Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation 2011;**20**(6):833-44 doi: 10.1007/s11136-010-9822-2.
- 10. Baker BS, Harrington JE, Choi BS, Kropf P, Muller I, Hoffman CJ. A randomised controlled pilot feasibility study of the physical and psychological effects of an integrated support programme in breast cancer. Complementary therapies in clinical practice 2012;**18**(3):182-9 doi: 10.1016/j.ctcp.2012.03.002.
- 11. Banasik J, Williams H, Haberman M, Blank SE, Bendel R. Effect of Iyengar yoga practice on fatigue and diurnal salivary cortisol concentration in breast cancer survivors. Journal of the American Academy of Nurse Practitioners 2011;**23**(3):135-42 doi: 10.1111/j.1745-7599.2010.00573.x.
- 12. Bantum EO, Albright CL, White KK, et al. Surviving and thriving with cancer using a Web-based health behavior change intervention: randomized controlled trial. Journal of medical Internet research 2014;**16**(2):e54 doi: 10.2196/jmir.3020.
- 13. Bargi G, Guclu MB, Aribas Z, Aki SZ, Sucak GT. Inspiratory muscle training in allogeneic hematopoietic stem cell transplantation recipients: a randomized controlled trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2016;**24**(2):647-59 doi: 10.1007/s00520-015-2825-3.
- 14. Barsevick AM, Dudley W, Beck S, Sweeney C, Whitmer K, Nail L. A randomized clinical trial of energy conservation for patients with cancer-related fatigue. Cancer 2004;**100**(6):1302-10 doi: 10.1002/cncr.20111.
- 15. Barsevick A, Beck SL, Dudley WN, et al. Efficacy of an intervention for fatigue and sleep disturbance during cancer chemotherapy. Journal of pain and symptom management 2010;40(2):200-16 doi: 10.1016/j.jpainsymman.2009.12.020.
- 16. Basen-Engquist K, Taylor CL, Rosenblum C, et al. Randomized pilot test of a lifestyle physical activity intervention for breast cancer survivors. Patient education and counseling 2006;**64**(1-3):225-34 doi: 10.1016/j.pec.2006.02.006.
- 17. Battaglini C, Bottaro M, Dennehy C, et al. The effects of resistance training on muscular strength and fatigue levels in breast cancer patients. Revista brasileira de medicina do esporte 2006;**12**(3):153-58.
- 18. Baumann F, Kraut L, Schüle K, Bloch W, Fauser A. A controlled randomized study examining the effects of exercise therapy on patients undergoing haematopoietic stem cell transplantation. Bone marrow transplantation 2010;45(2):355-62.
- 19. Baumann FT, Zopf EM, Nykamp E, et al. Physical activity for patients undergoing an allogeneic hematopoietic stem cell transplantation: benefits of a moderate exercise intervention. European journal of haematology 2011;87(2):148-56 doi: 10.1111/j.1600-0609.2011.01640.x.
- 20. Bennett JA, Lyons KS, Winters-Stone K, Nail LM, Scherer J. Motivational interviewing to increase physical activity in long-term cancer survivors: a randomized controlled trial. Nursing research 2007;**56**(1):18-27.
- 21. Berglund G, Bolund C, Gustafsson UL, Sjödén PO. A randomized study of a rehabilitation program for cancer patients: the 'starting again' group. Psycho-Oncology 1994;**3**(2):109-20.
- 22. Boesen EH, Ross L, Frederiksen K, et al. Psychoeducational intervention for patients with cutaneous malignant melanoma: a replication study. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005;**23**(6):1270-7 doi: 10.1200/jco.2005.05.193.

- 23. Bourke L, Doll H, Crank H, Daley A, Rosario D, Saxton JM. Lifestyle intervention in men with advanced prostate cancer receiving androgen suppression therapy: a feasibility study. Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology 2011;**20**(4):647-57 doi: 10.1158/1055-9965.epi-10-1143.
- 24. Bourke L, Thompson G, Gibson DJ, et al. Pragmatic lifestyle intervention in patients recovering from colon cancer: a randomized controlled pilot study. Archives of physical medicine and rehabilitation 2011;**92**(5):749-55 doi: 10.1016/j.apmr.2010.12.020.
- 25. Bourke L, Gilbert S, Hooper R, et al. Lifestyle changes for improving disease-specific quality of life in sedentary men on long-term androgen-deprivation therapy for advanced prostate cancer: a randomised controlled trial. European urology 2014;**65**(5):865-72 doi: 10.1016/j.eururo.2013.09.040.
- 26. Bower JE, Garet D, Sternlieb B, et al. Yoga for persistent fatigue in breast cancer survivors: a randomized controlled trial. Cancer 2012;**118**(15):3766-75 doi: 10.1002/cncr.26702.
- 27. Bower JE, Crosswell AD, Stanton AL, et al. Mindfulness meditation for younger breast cancer survivors: a randomized controlled trial. Cancer 2015;**121**(8):1231-40 doi: 10.1002/cncr.29194.
- 28. Bridge LR, Benson P, Pietroni PC, Priest RG. Relaxation and imagery in the treatment of breast cancer. BMJ (Clinical research ed.) 1988;297(6657):1169-72.
- 29. Broderick JM, Guinan E, Kennedy MJ, et al. Feasibility and efficacy of a supervised exercise intervention in de-conditioned cancer survivors during the early survivorship phase: the PEACH trial. Journal of cancer survivorship : research and practice 2013;**7**(4):551-62 doi: 10.1007/s11764-013-0294-6.
- 30. Brown P, Clark MM, Atherton P, et al. Will improvement in quality of life (QOL) impact fatigue in patients receiving radiation therapy for advanced cancer? American journal of clinical oncology 2006; **29**(1):52-8 doi: 10.1097/01.coc.0000190459.14841.55.
- 31. Burnham TR, Wilcox A. Effects of exercise on physiological and psychological variables in cancer survivors. Medicine and science in sports and exercise 2002;**34**(12):1863-7 doi: 10.1249/01.MSS.0000040995.26076.CC.
- 32. Cadmus LA, Salovey P, Yu H, Chung G, Kasl S, Irwin ML. Exercise and quality of life during and after treatment for breast cancer: results of two randomized controlled trials [IMPACT]. Psycho-Oncology 2009;**18**(4):343-52.
- 33. Cadmus LA, Salovey P, Yu H, Chung G, Kasl S, Irwin ML. Exercise and quality of life during and after treatment for breast cancer: results of two randomized controlled trials [YES]. Psycho-Oncology 2009;**18**(4):343-52.
- 34. Caldwell MG. The effects of an endurance exercise regimen on cancer-related fatigue and physical performance in women with breast cancer. LOUISIANA STATE UNIV. HEALTH SCIENCES CENTER SCHOOL OF NURSING, 2009.
- 35. Campbell A, Mutrie N, White F, McGuire F, Kearney N. A pilot study of a supervised group exercise programme as a rehabilitation treatment for women with breast cancer receiving adjuvant treatment. European journal of oncology nursing : the official journal of European Oncology Nursing Society 2005;9(1):56-63 doi: 10.1016/j.ejon.2004.03.007.
- 36. Campo RA, O'Connor K, Light KC, et al. Feasibility and acceptability of a Tai Chi Chih randomized controlled trial in senior female cancer survivors. Integrative cancer therapies 2013;**12**(6):464-74 doi: 10.1177/1534735413485418.
- 37. Campo RA, Agarwal N, LaStayo PC, et al. Levels of fatigue and distress in senior prostate cancer survivors enrolled in a 12-week randomized controlled trial of Qigong. Journal of cancer survivorship : research and practice 2014;8(1):60-9 doi: 10.1007/s11764-013-0315-5.
- 38. Cantarero-Villanueva I, Fernández-Lao C, Díaz-Rodriguez L, Fernández-de-las-Peñas C, del Moral-Avila R, Arroyo-Morales M. A multimodal exercise program and multimedia support reduce cancer-related fatigue in breast cancer survivors: a randomised controlled clinical trial. European Journal of Integrative Medicine 2011;**3**(3):e189-e200.
- 39. Cantarero-Villanueva I, Fernandez-Lao C, Cuesta-Vargas AI, Del Moral-Avila R, Fernandez-de-Las-Penas C, Arroyo-Morales M. The effectiveness of a deep water aquatic exercise program in cancer-related fatigue in breast cancer survivors: a randomized controlled trial. Archives of physical medicine and rehabilitation 2013;**94**(2):221-30 doi: 10.1016/j.apmr.2012.09.008.

- 40. Carson JW, Carson KM, Porter LS, Keefe FJ, Seewaldt VL. Yoga of Awareness program for menopausal symptoms in breast cancer survivors: results from a randomized trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2009;**17**(10):1301-9 doi: 10.1007/s00520-009-0587-5.
- 41. Cerulli C, Minganti C, De Santis C, Tranchita E, Quaranta F, Parisi A. Therapeutic horseback riding in breast cancer survivors: a pilot study. Journal of alternative and complementary medicine (New York, N.Y.) 2014;**20**(8):623-9 doi: 10.1089/acm.2014.0061.
- 42. Chakrabarty J, Vidyasagar M, Fernandes D, Joisa G, Varghese P, Mayya S. Effectiveness of pranayama on cancer-related fatigue in breast cancer patients undergoing radiation therapy: A randomized controlled trial. International journal of yoga 2015;8(1):47-53 doi: 10.4103/0973-6131.146062.
- 43. Chan CW, Richardson A, Richardson J. Managing symptoms in patients with advanced lung cancer during radiotherapy: results of a psychoeducational randomized controlled trial. Journal of pain and symptom management 2011;**41**(2):347-57 doi: 10.1016/j.jpainsymman.2010.04.024.
- 44. Chan A, Gan YX, Oh SK, et al. A culturally adapted survivorship programme for Asian early stage breast cancer patients in Singapore: A randomized, controlled trial. Psycho-oncology 2016 doi: 10.1002/pon.4357.
- 45. Chandwani KD, Thornton B, Perkins GH, et al. Yoga improves quality of life and benefit finding in women undergoing radiotherapy for breast cancer. Journal of the Society for Integrative Oncology 2010;8(2):43-55.
- 46. Chandwani KD, Perkins G, Nagendra HR, et al. Randomized, controlled trial of yoga in women with breast cancer undergoing radiotherapy. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2014;**32**(10):1058-65 doi: 10.1200/JCO.2012.48.2752.
- 47. Chang PH, Lai YH, Shun SC, et al. Effects of a walking intervention on fatigue-related experiences of hospitalized acute myelogenous leukemia patients undergoing chemotherapy: a randomized controlled trial. Journal of pain and symptom management 2008;**35**(5):524-34 doi: 10.1016/j.jpainsymman.2007.06.013.
- 48. Chen S, Huang C, Cai L. Effect of aerobic exercise on patients with laryngeal cancer related fatigue status. Chin j Mod Nurs 2011;**16**(17):1905–07.
- 49. Chen Z, Meng Z, Milbury K, et al. Qigong improves quality of life in women undergoing radiotherapy for breast cancer: results of a randomized controlled trial. Cancer 2013;**119**(9):1690-8 doi: 10.1002/cncr.27904.
- 50. Cheville AL, Kollasch J, Vandenberg J, et al. A home-based exercise program to improve function, fatigue, and sleep quality in patients with Stage IV lung and colorectal cancer: a randomized controlled trial. Journal of pain and symptom management 2013;45(5):811-21 doi: 10.1016/j.jpainsymman.2012.05.006.
- 51. Choi JY, Kang HS. [Effects of a home-based exercise program for patients with stomach cancer receiving oral chemotherapy after surgery]. Journal of Korean Academy of Nursing 2012;**42**(1):95-104 doi: 10.4040/jkan.2012.42.1.95.
- 52. Clark M, Isaacks-Downton G, Wells N, et al. Use of preferred music to reduce emotional distress and symptom activity during radiation therapy. Journal of music therapy 2006;43(3):247-65.
- 53. Classen C, Butler LD, Koopman C, et al. Supportive-expressive group therapy and distress in patients with metastatic breast cancer: a randomized clinical intervention trial. Archives of general psychiatry 2001;**58**(5):494-501.
- 54. Cohen L, Warneke C, Fouladi RT, Rodriguez MA, Chaoul-Reich A. Psychological adjustment and sleep quality in a randomized trial of the effects of a Tibetan yoga intervention in patients with lymphoma. Cancer 2004;**100**(10):2253-60 doi: 10.1002/cncr.20236.
- 55. Coleman EA, Goodwin JA, Kennedy R, et al. Effects of exercise on fatigue, sleep, and performance: a randomized trial. Oncology nursing forum 2012;**39**(5):468-77 doi: 10.1188/12.onf.468-477.
- 56. Cormie P, Newton RU, Spry N, Joseph D, Taaffe DR, Galvao DA. Safety and efficacy of resistance exercise in prostate cancer patients with bone metastases. Prostate cancer and prostatic diseases 2013;**16**(4):328-35 doi: 10.1038/pcan.2013.22.
- 57. Cormie P, Galvao DA, Spry N, et al. Can supervised exercise prevent treatment toxicity in patients with prostate cancer initiating androgen-deprivation therapy: a randomised controlled trial. BJU international 2015;**115**(2):256-66 doi: 10.1111/bju.12646.
- 58. Cornette T, Vincent F, Mandigout S, et al. Effects of home-based exercise training on VO2 in breast cancer patients under adjuvant or neoadjuvant chemotherapy (SAPA): a randomized controlled trial. European journal of physical and rehabilitation medicine 2016;**52**(2):223-32.

- 59. Courneya KS, Sellar CM, Stevinson C, et al. Randomized controlled trial of the effects of aerobic exercise on physical functioning and quality of life in lymphoma patients. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2009;**27**(27):4605-12 doi: 10.1200/jco.2008.20.0634.
- 60. Courneya KS, Friedenreich CM, Quinney HA, Fields AL, Jones LW, Fairey AS. A randomized trial of exercise and quality of life in colorectal cancer survivors. European journal of cancer care 2003;**12**(4):347-57.
- 61. Courneya KS, Mackey JR, Bell GJ, Jones LW, Field CJ, Fairey AS. Randomized controlled trial of exercise training in postmenopausal breast cancer survivors: cardiopulmonary and quality of life outcomes. Journal of clinical oncology 2003;**21**(9):1660-68.
- 62. Courneya KS, Friedenreich CM, Sela RA, Quinney HA, Rhodes RE, Handman M. The group psychotherapy and home-based physical exercise (GROUP-HOPE) trial in cancer survivors: Physical fitness and quality of life outcomes. Psycho-oncology 2003;**12**:357-74 doi: 10.1002/pon.658.
- 63. Courneya KS, Segal RJ, Mackey JR, et al. Effects of aerobic and resistance exercise in breast cancer patients receiving adjuvant chemotherapy: a multicenter randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2007;**25**(28):4396-404 doi: 10.1200/jco.2006.08.2024.
- 64. Courneya KS, Jones LW, Peddle CJ, et al. Effects of aerobic exercise training in anemic cancer patients receiving darbepoetin alfa: a randomized controlled trial. The oncologist 2008;**13**(9):1012-20 doi: 10.1634/theoncologist.2008-0017.
- 65. Cramer H, Rabsilber S, Lauche R, Kummel S, Dobos G. Yoga and meditation for menopausal symptoms in breast cancer survivors-A randomized controlled trial. Cancer 2015;**121**(13):2175-84 doi: 10.1002/cncr.29330.
- 66. Cramer H, Pokhrel B, Fester C, et al. A randomized controlled bicenter trial of yoga for patients with colorectal cancer. Psycho-oncology 2016;**25**(4):412-20 doi: 10.1002/pon.3927.
- 67. Culos-Reed SN, Carlson LE, Daroux LM, Hately-Aldous S. A pilot study of yoga for breast cancer survivors: physical and psychological benefits. Psycho-oncology 2006;15(10):891-7 doi: 10.1002/pon.1021.
- 68. Culos-Reed SN, Robinson JW, Lau H, et al. Physical activity for men receiving androgen deprivation therapy for prostate cancer: benefits from a 16-week intervention. Supportive Care in Cancer 2010;**18**(5):591-99.
- 69. Daley AJ, Crank H, Saxton JM, Mutrie N, Coleman R, Roalfe A. Randomized trial of exercise therapy in women treated for breast cancer. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2007;**25**(13):1713-21 doi: 10.1200/jco.2006.09.5083.
- 70. Hacker ED, Larson J, Kujath A, Peace D, Rondelli D, Gaston L. Strength training following hematopoietic stem cell transplantation. Cancer nursing 2011;34(3):238.
- 71. Danhauer SC, Mihalko SL, Russell GB, et al. Restorative yoga for women with breast cancer: findings from a randomized pilot study. Psycho-Oncology 2009;**18**(4):360-68.
- 72. De Luca V, Minganti C, Borrione P, et al. Effects of concurrent aerobic and strength training on breast cancer survivors: a pilot study. Public health 2016;**136**:126-32 doi: 10.1016/j.puhe.2016.03.028.
- 73. Decker TW, Cline-Elsen J, Gallagher M. Relaxation therapy as an adjunct in radiation oncology. Journal of clinical psychology 1992;48(3):388-93.
- 74. Dhruva A, Miaskowski C, Abrams D, et al. Yoga breathing for cancer chemotherapy-associated symptoms and quality of life: results of a pilot randomized controlled trial. Journal of alternative and complementary medicine (New York, N.Y.) 2012;**18**(5):473-9 doi: 10.1089/acm.2011.0555.
- 75. Dibbell-Hope S. The use of dance/movement therapy in psychological adaptation to breast cancer. Art Psychother 2000;**27**(1):51-68 doi: Doi 10.1016/S0197-4556(99)00032-5.
- 76. Dimeo FC, Stieglitz RD, Novelli-Fischer U, Fetscher S, Keul J. Effects of physical activity on the fatigue and psychologic status of cancer patients during chemotherapy. Cancer 1999;**85**(10):2273-7.
- 77. Dimeo FC, Thomas F, Raabe-Menssen C, Propper F, Mathias M. Effect of aerobic exercise and relaxation training on fatigue and physical performance of cancer patients after surgery. A randomised controlled trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2004;**12**(11):774-9 doi: 10.1007/s00520-004-0676-4.
- 78. Do J, Cho Y, Jeon J. Effects of a 4-week multimodal rehabilitation program on quality of life, cardiopulmonary function, and fatigue in breast cancer patients. Journal of breast cancer 2015;**18**(1):87-96 doi: 10.4048/jbc.2015.18.1.87.

- 79. Dodd MJ, Cho MH, Miaskowski C, et al. A randomized controlled trial of home-based exercise for cancer-related fatigue in women during and after chemotherapy with or without radiation therapy. Cancer nursing 2010;**33**(4):245-57 doi: 10.1097/NCC.0b013e3181ddc58c.
- 80. Dodds SE, Pace TW, Bell ML, et al. Feasibility of Cognitively-Based Compassion Training (CBCT) for breast cancer survivors: a randomized, wait list controlled pilot study. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2015;**23**(12):3599-608 doi: 10.1007/s00520-015-2888-1.
- 81. Dolbeault S, Cayrou S, Bredart A, et al. The effectiveness of a psycho-educational group after early-stage breast cancer treatment: results of a randomized French study. Psycho-oncology 2009;**18**(6):647-56 doi: 10.1002/pon.1440.
- 82. Donnelly CM, Blaney JM, Lowe-Strong A, et al. A randomised controlled trial testing the feasibility and efficacy of a physical activity behavioural change intervention in managing fatigue with gynaecological cancer survivors. Gynecologic oncology 2011;**122**(3):618-24 doi: 10.1016/j.ygyno.2011.05.029.
- 83. Drouin JS, Armstrong H, Krause S, et al. Effects of Aerobic Exercise Training on Peak Aerobic Capacity, Fatigue, and Psychological Factors During Radiation for Breast Cancer. Rehabilitation Oncology 2005;**23**(1):11-17.
- 84. Eakin EG, Lawler SP, Winkler EA, Hayes SC. A randomized trial of a telephone-delivered exercise intervention for non-urban dwelling women newly diagnosed with breast cancer: exercise for health. Annals of Behavioral Medicine 2012;**43**(2):229-38.
- 85. Edelman S, Bell DR, Kidman AD. A group cognitive behaviour therapy programme with metastatic breast cancer patients. Psycho-Oncology 1999;8(4):295-305.
- 86. Ergun M, Eyigor S, Karaca B, Kisim A, Uslu R. Effects of exercise on angiogenesis and apoptosis-related molecules, quality of life, fatigue and depression in breast cancer patients. European journal of cancer care 2013;**22**(5):626-37 doi: 10.1111/ecc.12068.
- 87. Eyigor S, Karapolat H, Yesil H, Uslu R, Durmaz B. Effects of pilates exercises on functional capacity, flexibility, fatigue, depression and quality of life in female breast cancer patients: a randomized controlled study. European journal of physical and rehabilitation medicine 2010;**46**(4):481-7.
- 88. Ferguson RJ, Sigmon ST, Pritchard AJ, et al. A randomized trial of videoconference-delivered cognitive behavioral therapy for survivors of breast cancer with self-reported cognitive dysfunction. Cancer 2016;**122**(11):1782-91 doi: 10.1002/cncr.29891.
- 89. Fillion L, Gagnon P, Leblond F, et al. A brief intervention for fatigue management in breast cancer survivors. Cancer nursing 2008;**31**(2):145-59 doi: 10.1097/01.ncc.0000305698.97625.95.
- 90. Foster C, Grimmett C, May CM, et al. A web-based intervention (RESTORE) to support self-management of cancer-related fatigue following primary cancer treatment: a multi-centre proof of concept randomised controlled trial. Supportive Care in Cancer 2016;24(6):2445-53.
- 91. Freeman LW, White R, Ratcliff CG, et al. A randomized trial comparing live and telemedicine deliveries of an imagery-based behavioral intervention for breast cancer survivors: reducing symptoms and barriers to care. Psycho-oncology 2015;**24**(8):910-8 doi: 10.1002/pon.3656.
- 92. Fukui S, Kugaya A, Okamura H, et al. A psychosocial group intervention for Japanese women with primary breast carcinoma. Cancer 2000;89(5):1026-36.
- 93. Furzer BJ, Ackland TR, Wallman KE, et al. A randomised controlled trial comparing the effects of a 12-week supervised exercise versus usual care on outcomes in haematological cancer patients. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2016;**24**(4):1697-707 doi: 10.1007/s00520-015-2955-7.
- 94. Galiano-Castillo N, Cantarero-Villanueva I, Fernandez-Lao C, et al. Telehealth system: A randomized controlled trial evaluating the impact of an internet-based exercise intervention on quality of life, pain, muscle strength, and fatigue in breast cancer survivors. Cancer 2016;**122**(20):3166-74 doi: 10.1002/cncr.30172.
- 95. Galvao DA, Taaffe DR, Spry N, Joseph D, Newton RU. Combined resistance and aerobic exercise program reverses muscle loss in men undergoing androgen suppression therapy for prostate cancer without bone metastases: a randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2010;**28**(2):340-7 doi: 10.1200/jco.2009.23.2488.
- 96. Galvao DA, Spry N, Denham J, et al. A multicentre year-long randomised controlled trial of exercise training targeting physical functioning in men with prostate cancer previously treated with androgen suppression and radiation from TROG 03.04 RADAR. European urology 2014;**65**(5):856-64 doi: 10.1016/j.eururo.2013.09.041.
- 97. Garssen B, Boomsma MF, Meezenbroek Ede J, et al. Stress management training for breast cancer surgery patients. Psycho-oncology 2013;**22**(3):572-80 doi: 10.1002/pon.3034.

- 98. Gielissen MF, Verhagen S, Witjes F, Bleijenberg G. Effects of cognitive behavior therapy in severely fatigued disease-free cancer patients compared with patients waiting for cognitive behavior therapy: a randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2006;**24**(30):4882-7 doi: 10.1200/jco.2006.06.8270.
- 99. Goedendorp MM, Peters ME, Gielissen MF, et al. Is increasing physical activity necessary to diminish fatigue during cancer treatment? Comparing cognitive behavior therapy and a brief nursing intervention with usual care in a multicenter randomized controlled trial. The oncologist 2010;**15**(10):1122-32 doi: 10.1634/theoncologist.2010-0092.
- 100. Gokal K, Wallis D, Ahmed S, Boiangiu I, Kancherla K, Munir F. Effects of a self-managed home-based walking intervention on psychosocial health outcomes for breast cancer patients receiving chemotherapy: a randomised controlled trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2016;**24**(3):1139-66 doi: 10.1007/s00520-015-2884-5.
- 101. Goodwin PJ, Leszcz M, Ennis M, et al. The effect of group psychosocial support on survival in metastatic breast cancer. The New England journal of medicine 2001;**345**(24):1719-26 doi: 10.1056/NEJMoa011871.
- 102. Hacker ED, Collins E, Park C, Peters T, Patel P, Rondelli D. Strength Training to Enhance Early Recovery after Hematopoietic Stem Cell Transplantation. Biology of blood and marrow transplantation : journal of the American Society for Blood and Marrow Transplantation 2016 doi: 10.1016/j.bbmt.2016.12.637.
- 103. Hagstrom AD, Marshall PW, Lonsdale C, Cheema BS, Fiatarone Singh MA, Green S. Resistance training improves fatigue and quality of life in previously sedentary breast cancer survivors: a randomised controlled trial. European journal of cancer care 2016;**25**(5):784-94 doi: 10.1111/ecc.12422.
- 104. Haines TP, Sinnamon P, Wetzig NG, et al. Multimodal exercise improves quality of life of women being treated for breast cancer, but at what cost? Randomized trial with economic evaluation. Breast cancer research and treatment 2010;**124**(1):163-75.
- 105. Hawkes AL, Chambers SK, Pakenham KI, et al. Effects of a telephone-delivered multiple health behavior change intervention (CanChange) on health and behavioral outcomes in survivors of colorectal cancer: a randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2013;**31**(18):2313-21 doi: 10.1200/jco.2012.45.5873.
- 106. Hayama Y, Inoue T. The effects of deep breathing on 'tension-anxiety' and fatigue in cancer patients undergoing adjuvant chemotherapy. Complementary therapies in clinical practice 2012;**18**(2):94-8 doi: 10.1016/j.ctcp.2011.10.001.
- 107. Hayes SC, Rye S, Disipio T, et al. Exercise for health: a randomized, controlled trial evaluating the impact of a pragmatic, translational exercise intervention on the quality of life, function and treatment-related side effects following breast cancer. Breast cancer research and treatment 2013;**137**(1):175-86 doi: 10.1007/s10549-012-2331-y.
- 108. Heim ME, v d Malsburg ML, Niklas A. Randomized controlled trial of a structured training program in breast cancer patients with tumor-related chronic fatigue. Onkologie 2007;**30**(8-9):429-34 doi: 10.1159/0000104097.
- 109. Heiney SP, Reavis K, Tavakoli AS, Adams SA, Hayne PD, Weinrich SP. The Impact of STORY on Depression and Fatigue in African-American Women with Breast Cancer. Journal of National Black Nurses' Association : JNBNA 2015;**26**(1):1-7.
- 110. Kuehl R, Schmidt ME, Dreger P, Steindorf K, Bohus M, Wiskemann J. Determinants of exercise adherence and contamination in a randomized controlled trial in cancer patients during and after allogeneic HCT. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2016;**24**(10):4327-37 doi: 10.1007/s00520-016-3271-6.
- 111. Hoffman CJ, Ersser SJ, Hopkinson JB, Nicholls PG, Harrington JE, Thomas PW. Effectiveness of mindfulness-based stress reduction in mood, breast- and endocrinerelated quality of life, and well-being in stage 0 to III breast cancer: a randomized, controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2012;**30**(12):1335-42 doi: 10.1200/jco.2010.34.0331.
- 112. Hoffman AJ, Brintnall RA, Given BA, von Eye A, Jones LW, Brown JK. Using Perceived Self-efficacy to Improve Fatigue and Fatigability In Postsurgical Lung Cancer Patients: A Pilot Randomized Controlled Trial. Cancer nursing 2017;**40**(1):1-12 doi: 10.1097/NCC.00000000000378.

- 113. Hojan K, Kwiatkowska-Borowczyk E, Leporowska E, et al. Physical exercise for functional capacity, blood immune function, fatigue, and quality of life in high-risk prostate cancer patients during radiotherapy: a prospective, randomized clinical study. European journal of physical and rehabilitation medicine 2016;**52**(4):489-501.
- 114. Hornsby WE, Douglas PS, West MJ, et al. Safety and efficacy of aerobic training in operable breast cancer patients receiving neoadjuvant chemotherapy: a phase II randomized trial. Acta oncologica 2014;**53**(1):65-74.
- 115. Hu J, Ren T, Tan B, Gao Q, Wu H. Effects of aerobic exercises on cancer-related fatigue for patients with nasopharyngeal carcinoma undergoing radiotherapy. Modern Oncology 2012;**20**(6):1155-57.
- 116. Hubbard G, Munro J, O'Carroll R, et al. The use of cardiac rehabilitation services to aid the recovery of patients with bowel cancer: a pilot randomised controlled trial with embedded feasibility study. Health Services and Delivery Research 2016.
- 117. Husebo AM, Dyrstad SM, Mjaaland I, Soreide JA, Bru E. Effects of scheduled exercise on cancer-related fatigue in women with early breast cancer. TheScientificWorldJournal 2014;**2014**:271828 doi: 10.1155/2014/271828.
- 118. Hwang JH, Chang HJ, Shim YH, et al. Effects of supervised exercise therapy in patients receiving radiotherapy for breast cancer. Yonsei medical journal 2008;49(3):443-50 doi: 10.3349/ymj.2008.49.3.443.
- 119. Hwang CL, Yu CJ, Shih JY, Yang PC, Wu YT. Effects of exercise training on exercise capacity in patients with non-small cell lung cancer receiving targeted therapy. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2012;**20**(12):3169-77 doi: 10.1007/s00520-012-1452-5.
- 120. Irwin ML, Cartmel B, Harrigan M, et al. Effect of the LIVESTRONG at the YMCA exercise program on physical activity, fitness, quality of life, and fatigue in cancer survivors. Cancer 2016 doi: 10.1002/cncr.30456.
- 121. Jacobsen PB, Meade CD, Stein KD, Chirikos TN, Small BJ, Ruckdeschel JC. Efficacy and costs of two forms of stress management training for cancer patients undergoing chemotherapy. Journal of clinical oncology 2002;**20**(12):2851-62.
- 122. Jarden M, Baadsgaard MT, Hovgaard DJ, Boesen E, Adamsen L. A randomized trial on the effect of a multimodal intervention on physical capacity, functional performance and quality of life in adult patients undergoing allogeneic SCT. Bone marrow transplantation 2009;**43**(9):725-37 doi: 10.1038/bmt.2009.27.
- 123. Jensen W, Baumann FT, Stein A, et al. Exercise training in patients with advanced gastrointestinal cancer undergoing palliative chemotherapy: a pilot study. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2014;**22**(7):1797-806 doi: 10.1007/s00520-014-2139-x.
- 124. Johns SA, Brown LF, Beck-Coon K, Monahan PO, Tong Y, Kroenke K. Randomized controlled pilot study of mindfulness-based stress reduction for persistently fatigued cancer survivors. Psycho-oncology 2015;**24**(8):885-93 doi: 10.1002/pon.3648.
- 125. Johnston MF, Hays RD, Subramanian SK, et al. Patient education integrated with acupuncture for relief of cancer-related fatigue randomized controlled feasibility study. BMC complementary and alternative medicine 2011;**11**:49 doi: 10.1186/1472-6882-11-49.
- 126. Jones LW, Hornsby WE, Freedland SJ, et al. Effects of nonlinear aerobic training on erectile dysfunction and cardiovascular function following radical prostatectomy for clinically localized prostate cancer. European urology 2014;65(5):852-55.
- 127. Korstjens I, May AM, van Weert E, et al. Quality of life after self-management cancer rehabilitation: a randomized controlled trial comparing physical and cognitivebehavioral training versus physical training. Psychosomatic medicine 2008;**70**(4):422-29.
- 128. Kampshoff CS, Chinapaw MJ, Brug J, et al. Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. BMC medicine 2015;**13**:275 doi: 10.1186/s12916-015-0513-2.
- 129. Kiecolt-Glaser JK, Bennett JM, Andridge R, et al. Yoga's impact on inflammation, mood, and fatigue in breast cancer survivors: a randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2014;**32**(10):1040-9 doi: 10.1200/JCO.2013.51.8860.
- 130. Kim SD, Kim HS. Effects of a relaxation breathing exercise on fatigue in haemopoietic stem cell transplantation patients. Journal of clinical nursing 2005;**14**(1):51-5 doi: 10.1111/j.1365-2702.2004.00938.x.

- 131. Kim DS, Sim YJ, Jeong HJ, Kim GC. Effect of active resistive exercise on breast cancer-related lymphedema: a randomized controlled trial. Archives of physical medicine and rehabilitation 2010;**91**(12):1844-8 doi: 10.1016/j.apmr.2010.09.008.
- 132. Kim SH, Shin MS, Lee HS, et al. Randomized pilot test of a simultaneous stage-matched exercise and diet intervention for breast cancer survivors. Oncology nursing forum 2011;**38**(2):E97-106 doi: 10.1188/11.onf.e97-e106.
- 133. Kim YH, Kim HJ, Ahn SD, Seo YJ, Kim SH. Effects of meditation on anxiety, depression, fatigue, and quality of life of women undergoing radiation therapy for breast cancer. Complementary therapies in medicine 2013;**21**(4):379-87 doi: 10.1016/j.ctim.2013.06.005.
- 134. Knols R, De Bruin E, Uebelhart D, et al. Effects of an outpatient physical exercise program on hematopoietic stem-cell transplantation recipients: a randomized clinical trial. Bone marrow transplantation 2011;46(9):1245-55.
- 135. Kovacs Z, Rigo A, Kokonyei G, et al. [Complex psycho-social intervention program complementing conventional antitumor therapy -- promising results]. Magyar onkologia 2012;**56**(4):247-57 doi: MagyOnkol.2012.56.4.247.
- 136. Kwiatkowski F, Mouret-Reynier MA, Duclos M, et al. Long term improved quality of life by a 2-week group physical and educational intervention shortly after breast cancer chemotherapy completion. Results of the 'Programme of Accompanying women after breast Cancer treatment completion in Thermal resorts' (PACThe) randomised clinical trial of 251 patients. European journal of cancer (Oxford, England : 1990) 2013;**49**(7):1530-8 doi: 10.1016/j.ejca.2012.12.021.
- 137. Larkey LK, Roe DJ, Weihs KL, et al. Randomized controlled trial of Qigong/Tai Chi Easy on cancer-related fatigue in breast cancer survivors. Annals of behavioral medicine : a publication of the Society of Behavioral Medicine 2015;49(2):165-76 doi: 10.1007/s12160-014-9645-4.
- 138. Lengacher CA, Reich RR, Post-White J, et al. Mindfulness based stress reduction in post-treatment breast cancer patients: an examination of symptoms and symptom clusters. Journal of behavioral medicine 2012;**35**(1):86-94 doi: 10.1007/s10865-011-9346-4.
- 139. Lengacher CA, Reich RR, Paterson CL, et al. Examination of Broad Symptom Improvement Resulting From Mindfulness-Based Stress Reduction in Breast Cancer Survivors: A Randomized Controlled Trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2016;**34**(24):2827-34 doi: 10.1200/JCO.2015.65.7874.
- 140. Ligibel JA, Meyerhardt J, Pierce JP, et al. Impact of a telephone-based physical activity intervention upon exercise behaviors and fitness in cancer survivors enrolled in a cooperative group setting. Breast cancer research and treatment 2012;**132**(1):205-13 doi: 10.1007/s10549-011-1882-7.
- 141. Ligibel JA, Giobbie-Hurder A, Shockro L, et al. Randomized trial of a physical activity intervention in women with metastatic breast cancer. Cancer 2016;122(8):1169-77.
- 142. Litterini AJ, Fieler VK, Cavanaugh JT, Lee JQ. Differential effects of cardiovascular and resistance exercise on functional mobility in individuals with advanced cancer: a randomized trial. Archives of physical medicine and rehabilitation 2013;**94**(12):2329-35 doi: 10.1016/j.apmr.2013.06.008.
- 143. Littman AJ, Bertram LC, Ceballos R, et al. Randomized controlled pilot trial of yoga in overweight and obese breast cancer survivors: effects on quality of life and anthropometric measures. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2012;**20**(2):267-77 doi: 10.1007/s00520-010-1066-8.
- 144. Loh SY, Lee SY, Murray L. The Kuala Lumpur Qigong trial for women in the cancer survivorship phase-efficacy of a three-arm RCT to improve QOL. Asian Pacific journal of cancer prevention : APJCP 2014;15(19):8127-34.
- 145. Loudon A, Barnett T, Piller N, Immink MA, Williams AD. Yoga management of breast cancer-related lymphoedema: a randomised controlled pilot-trial. BMC complementary and alternative medicine 2014;**14**:214 doi: 10.1186/1472-6882-14-214.
- 146. Lutgendorf SK, Mullen-Houser E, Russell D, et al. Preservation of immune function in cervical cancer patients during chemoradiation using a novel integrative approach. Brain, behavior, and immunity 2010;**24**(8):1231-40 doi: 10.1016/j.bbi.2010.06.014.
- 147. Lotzke D, Wiedemann F, Rodrigues Recchia D, et al. Iyengar-Yoga Compared to Exercise as a Therapeutic Intervention during (Neo)adjuvant Therapy in Women with Stage I-III Breast Cancer: Health-Related Quality of Life, Mindfulness, Spirituality, Life Satisfaction, and Cancer-Related Fatigue. Evidence-based complementary and alternative medicine : eCAM 2016;**2016**:5931816 doi: 10.1155/2016/5931816.

- 148. May AM, Korstjens I, van Weert E, et al. Long-term effects on cancer survivors' quality of life of physical training versus physical training combined with cognitivebehavioral therapy: results from a randomized trial. Supportive Care in Cancer 2009;**17**(6):653-63.
- 149. McKenzie DC, Kalda AL. Effect of upper extremity exercise on secondary lymphedema in breast cancer patients: a pilot study. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2003;**21**(3):463-6 doi: 10.1200/jco.2003.04.069.
- 150. McNeely ML, Parliament MB, Seikaly H, et al. Effect of exercise on upper extremity pain and dysfunction in head and neck cancer survivors: a randomized controlled trial. Cancer 2008;**113**(1):214-22 doi: 10.1002/cncr.23536.
- 151. McQuade JL, Prinsloo S, Chang DZ, et al. Qigong/tai chi for sleep and fatigue in prostate cancer patients undergoing radiotherapy: a randomized controlled trial. Psycho-oncology 2016 doi: 10.1002/pon.4256.
- 152. Mehnert A, Veers S, Howaldt D, Braumann K-M, Koch U, Schulz K-H. Effects of a physical exercise rehabilitation group program on anxiety, depression, body image, and health-related quality of life among breast cancer patients. Oncology Research and Treatment 2011;**34**(5):248-53.
- 153. Midtgaard J, Christensen JF, Tolver A, et al. Efficacy of multimodal exercise-based rehabilitation on physical activity, cardiorespiratory fitness, and patient-reported outcomes in cancer survivors: a randomized, controlled trial. Annals of oncology 2013;**24**(9):2267-73.
- 154. Miladinia M, Baraz S, Shariati A, Malehi AS. Effects of Slow-Stroke Back Massage on Symptom Cluster in Adult Patients With Acute Leukemia: Supportive Care in Cancer Nursing. Cancer nursing 2017;40(1):31-38 doi: 10.1097/NCC.0000000000353.
- 155. Milne HM, Wallman KE, Gordon S, Courneya KS. Effects of a combined aerobic and resistance exercise program in breast cancer survivors: a randomized controlled trial. Breast cancer research and treatment 2008;**108**(2):279-88 doi: 10.1007/s10549-007-9602-z.
- 156. Moadel AB, Shah C, Wylie-Rosett J, et al. Randomized controlled trial of yoga among a multiethnic sample of breast cancer patients: effects on quality of life. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2007;**25**(28):4387-95 doi: 10.1200/jco.2006.06.6027.
- 157. Mock V, Frangakis C, Davidson NE, et al. Exercise manages fatigue during breast cancer treatment: a randomized controlled trial. Psycho-oncology 2005;**14**(6):464-77 doi: 10.1002/pon.863.
- 158. Molassiotis A, Charalambous A, Taylor P, Stamataki Z, Summers Y. The effect of resistance inspiratory muscle training in the management of breathlessness in patients with thoracic malignancies: a feasibility randomised trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2015;**23**(6):1637-45 doi: 10.1007/s00520-014-2511-x.
- 159. Monga U, Garber SL, Thornby J, et al. Exercise prevents fatigue and improves quality of life in prostate cancer patients undergoing radiotherapy. Archives of physical medicine and rehabilitation 2007;88(11):1416-22 doi: 10.1016/j.apmr.2007.08.110.
- 160. Montgomery GH, David D, Kangas M, et al. Randomized controlled trial of a cognitive-behavioral therapy plus hypnosis intervention to control fatigue in patients undergoing radiotherapy for breast cancer. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2014;**32**(6):557-63 doi: 10.1200/JCO.2013.49.3437.
- 161. Moros MT, Ruidiaz M, Caballero A, Serrano E, Martinez V, Tres A. Effects of an exercise training program on the quality of life of women with breast cancer on chemotherapy. Revista medica de Chile 2010;**138**(6):715-22.
- 162. Mustian KM, Peppone L, Darling TV, Palesh O, Heckler CE, Morrow GR. A 4-week home-based aerobic and resistance exercise program during radiation therapy: a pilot randomized clinical trial. The journal of supportive oncology 2009;**7**(5):158-67.
- 163. Mustian KM, Roscoe JA, Palesh OG, et al. Polarity Therapy for cancer-related fatigue in patients with breast cancer receiving radiation therapy: a randomized controlled pilot study. Integrative cancer therapies 2011;**10**(1):27-37 doi: 10.1177/1534735410397044.
- 164. Mutrie N, Campbell AM, Whyte F, et al. Benefits of supervised group exercise programme for women being treated for early stage breast cancer: pragmatic randomised controlled trial. BMJ (Clinical research ed.) 2007;**334**(7592):517.
- 165. Naraphong W, Lane A, Schafer J, Whitmer K, Wilson BR. Exercise intervention for fatigue-related symptoms in Thai women with breast cancer: A pilot study. Nursing & health sciences 2014 doi: 10.1111/nhs.12124.

- 166. O'Brien L, Loughnan A, Purcell A, Haines T. Education for cancer-related fatigue: could talking about it make people more likely to report it? Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2014;**22**(1):209-15 doi: 10.1007/s00520-013-1964-7.
- 167. Oh B, Butow P, Mullan B, Clarke S. Medical Qigong for cancer patients: pilot study of impact on quality of life, side effects of treatment and inflammation. The American journal of Chinese medicine 2008;**36**(03):459-72.
- 168. Oh B, Butow P, Mullan B, et al. Impact of medical Qigong on quality of life, fatigue, mood and inflammation in cancer patients: a randomized controlled trial. Annals of oncology : official journal of the European Society for Medical Oncology 2010;**21**(3):608-14 doi: 10.1093/annonc/mdp479.
- 169. Oldervoll LM, Loge JH, Lydersen S, et al. Physical exercise for cancer patients with advanced disease: a randomized controlled trial. The oncologist 2011;**16**(11):1649-57 doi: 10.1634/theoncologist.2011-0133.
- 170. Pinto BM, Clark MM, Maruyama NC, Feder SI. Psychological and fitness changes associated with exercise participation among women with breast cancer. Psychooncology 2003;**12**(2):118-26.
- 171. Pinto BM, Frierson GM, Rabin C, Trunzo JJ, Marcus BH. Home-based physical activity intervention for breast cancer patients. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005;**23**(15):3577-87 doi: 10.1200/jco.2005.03.080.
- 172. Pinto BM, Papandonatos GD, Goldstein MG. A randomized trial to promote physical activity among breast cancer patients. Health psychology : official journal of the Division of Health Psychology, American Psychological Association 2013;**32**(6):616-26 doi: 10.1037/a0029886.
- 173. Pinto BM, Papandonatos GD, Goldstein MG, Marcus BH, Farrell N. Home-based physical activity intervention for colorectal cancer survivors. Psycho-oncology 2013;22(1):54-64 doi: 10.1002/pon.2047.
- 174. Pinto B, Stein K, Dunsiger S. Peer mentorship to promote physical activity among cancer survivors: effects on quality of life. Psycho-oncology 2015 doi: 10.1002/pon.3884.
- 175. Poorkiani M, Abbaszadeh A, Hazrati M, Jafari P, Sadeghi M, Mohammadianpanah M. The effect of rehabilitation on quality of life in female breast cancer survivors in Iran. Indian Journal of Medical and Paediatric Oncology 2010;**31**(4):105.
- 176. Post-White J, Kinney ME, Savik K, Gau JB, Wilcox C, Lerner I. Therapeutic massage and healing touch improve symptoms in cancer. Integrative cancer therapies 2003;2(4):332-44 doi: 10.1177/1534735403259064.
- 177. Prinsen H, Bleijenberg G, Heijmen L, et al. The role of physical activity and physical fitness in postcancer fatigue: a randomized controlled trial. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2013;**21**(8):2279-88 doi: 10.1007/s00520-013-1784-9.
- 178. Pruthi S, Stan DL, Jenkins SM, et al. A Randomized Controlled Pilot Study Assessing Feasibility and Impact of Yoga Practice on Quality of Life, Mood, and Perceived Stress in Women With Newly Diagnosed Breast Cancer. Global advances in health and medicine : improving healthcare outcomes worldwide 2012;1(5):30-5 doi: 10.7453/gahmj.2012.1.5.010.
- 179. Purcell A, Fleming J, Burmeister B, Bennett S, Haines T. Is education an effective management strategy for reducing cancer-related fatigue? Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2011;**19**(9):1429-39 doi: 10.1007/s00520-010-0970-2.
- 180. Rabin C, Dunsiger S, Ness KK, Marcus BH. Internet-Based Physical Activity Intervention Targeting Young Adult Cancer Survivors. Journal of adolescent and young adult oncology 2011;1(4):188-94 doi: 10.1089/jayao.2011.0040.
- 181. Rahmani S, Talepasand S. The effect of group mindfulness based stress reduction program and conscious yoga on the fatigue severity and global and specific life quality in women with breast cancer. Medical journal of the Islamic Republic of Iran 2015; **29**:175.
- 182. Rauchfuß M, Listing M, Klapp B, Reißhauer A. Massagetherapie reduziert Schmerzen, Erschöpfung und Stress bei Mammakarzinompatientinnen. Geburtshilfe und Frauenheilkunde 2010;**70**(10):817-24.
- 183. Ream E, Richardson A, Alexander-Dann C. Supportive intervention for fatigue in patients undergoing chemotherapy: a randomized controlled trial. Journal of pain and symptom management 2006;**31**(2):148-61 doi: 10.1016/j.jpainsymman.2005.07.003.

- 184. Ream E, Gargaro G, Barsevick A, Richardson A. Management of cancer-related fatigue during chemotherapy through telephone motivational interviewing: modeling and randomized exploratory trial. Patient education and counseling 2015;**98**(2):199-206 doi: 10.1016/j.pec.2014.10.012.
- 185. Reich RR, Lengacher CA, Kip KE, et al. Baseline immune biomarkers as predictors of MBSR (BC) treatment success in off-treatment breast cancer patients. Biological research for nursing 2014;16(4):429-37.
- 186. Reif K, de Vries U, Petermann F, Gorres S. A patient education program is effective in reducing cancer-related fatigue: a multi-centre randomised two-group waiting-list controlled intervention trial. European journal of oncology nursing : the official journal of European Oncology Nursing Society 2013;17(2):204-13 doi: 10.1016/j.ejon.2012.07.002.
- 187. Reis D, Walsh ME, Young-McCaughan S, Jones T. Effects of Nia exercise in women receiving radiation therapy for breast cancer. Oncology nursing forum 2013;40(5):E374-81 doi: 10.1188/13.onf.e374-e381.
- 188. Rief H, Akbar M, Keller M, et al. Quality of life and fatigue of patients with spinal bone metastases under combined treatment with resistance training and radiation therapy- a randomized pilot trial. Radiation oncology (London, England) 2014;9:151 doi: 10.1186/1748-717X-9-151.
- 189. Rogers LQ, Hopkins-Price P, Vicari S, et al. Physical activity and health outcomes three months after completing a physical activity behavior change intervention: persistent and delayed effects. Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology 2009;**18**(5):1410-8 doi: 10.1158/1055-9965.epi-08-1045.
- 190. Rogers LQ, Anton PM, Fogleman A, et al. Pilot, randomized trial of resistance exercise during radiation therapy for head and neck cancer. Head & neck 2013;**35**(8):1178-88 doi: 10.1002/hed.23118.
- 191. Rogers LQ, Vicari S, Trammell R, et al. Biobehavioral factors mediate exercise effects on fatigue in breast cancer survivors. Medicine and science in sports and exercise 2014;46(6):1077-88 doi: 10.1249/MSS.0000000000210.
- 192. Rogers LQ, Courneya KS, Anton PM, et al. Effects of a multicomponent physical activity behavior change intervention on fatigue, anxiety, and depressive symptomatology in breast cancer survivors: randomized trial. Psycho-oncology 2016 doi: 10.1002/pon.4254.
- 193. Saarto T, Penttinen HM, Sievanen H, et al. Effectiveness of a 12-month exercise program on physical performance and quality of life of breast cancer survivors. Anticancer research 2012;**32**(9):3875-84.
- 194. Sadeghi E, Gozali N, Moghaddam Tabrizi F. Effects of Energy Conservation Strategies on Cancer Related Fatigue and Health Promotion Lifestyle in Breast CancerSurvivors: a Randomized Control Trial. Asian Pacific journal of cancer prevention : APJCP 2016;**17**(10):4783-90.
- 195. Santa Mina D, Alibhai SM, Matthew AG, et al. A randomized trial of aerobic versus resistance exercise in prostate cancer survivors. Journal of aging and physical activity 2013;**21**(4):455-78.
- 196. Schjolberg TK, Dodd M, Henriksen N, Asplund K, Cvancarova Smastuen M, Rustoen T. Effects of an educational intervention for managing fatigue in women with early stage breast cancer. European journal of oncology nursing : the official journal of European Oncology Nursing Society 2014;**18**(3):286-94 doi: 10.1016/j.ejon.2014.01.008.
- 197. Schmidt T, Weisser B, Jonat W, Baumann FT, Mundhenke C. Gentle strength training in rehabilitation of breast cancer patients compared to conventional therapy. Anticancer research 2012;**32**(8):3229-33.
- 198. Schmidt ME, Wiskemann J, Armbrust P, Schneeweiss A, Ulrich CM, Steindorf K. Effects of resistance exercise on fatigue and quality of life in breast cancer patients undergoing adjuvant chemotherapy: A randomized controlled trial. International journal of cancer 2015;**137**(2):471-80 doi: 10.1002/ijc.29383.
- 199. Schuler MK, Hentschel L, Kisel W, et al. Impact of Different Exercise Programs on Severe Fatigue in Patients Undergoing Anticancer Treatment-A Randomized Controlled Trial. Journal of pain and symptom management 2017;53(1):57-66 doi: 10.1016/j.jpainsymman.2016.08.014.
- 200. Segal R, Evans W, Johnson D, et al. Structured exercise improves physical functioning in women with stages I and II breast cancer: results of a randomized controlled trial. Journal of Clinical Oncology 2001;19(3):657-65.

- 201. Segal RJ, Reid RD, Courneya KS, et al. Resistance exercise in men receiving androgen deprivation therapy for prostate cancer. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2003;**21**(9):1653-9 doi: 10.1200/jco.2003.09.534.
- 202. Segal RJ, Reid RD, Courneya KS, et al. Randomized controlled trial of resistance or aerobic exercise in men receiving radiation therapy for prostate cancer. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2009;**27**(3):344-51 doi: 10.1200/jco.2007.15.4963.
- 203. Shang J, Wenzel J, Krumm S, Griffith K, Stewart K. Who will drop out and who will drop in: exercise adherence in a randomized clinical trial among patients receiving active cancer treatment. Cancer nursing 2012;**35**(4):312-22 doi: 10.1097/NCC.0b013e318236a3b3.
- 204. Sohl SJ, Danhauer SC, Birdee GS, et al. A brief yoga intervention implemented during chemotherapy: A randomized controlled pilot study. Complementary therapies in medicine 2016;25:139-42 doi: 10.1016/j.ctim.2016.02.003.
- 205. Spahn G, Choi KE, Kennemann C, et al. Can a multimodal mind-body program enhance the treatment effects of physical activity in breast cancer survivors with chronic tumor-associated fatigue? A randomized controlled trial. Integrative cancer therapies 2013;**12**(4):291-300 doi: 10.1177/1534735413492727.
- 206. Speca M, Carlson LE, Goodey E, Angen M. A randomized, wait-list controlled clinical trial: the effect of a mindfulness meditation-based stress reduction program on mood and symptoms of stress in cancer outpatients. Psychosomatic medicine 2000;62(5):613-22.
- 207. Sprod LK, Hsieh CC, Hayward R, Schneider CM. Three versus six months of exercise training in breast cancer survivors. Breast cancer research and treatment 2010;**121**(2):413-19.
- 208. Sprod LK, Janelsins MC, Palesh OG, et al. Health-related quality of life and biomarkers in breast cancer survivors participating in tai chi chuan. Journal of cancer survivorship 2012;6(2):146-54.
- 209. Sprod LK, Fernandez ID, Janelsins MC, et al. Effects of yoga on cancer-related fatigue and global side-effect burden in older cancer survivors. Journal of geriatric oncology 2015;6(1):8-14.
- 210. Stan DL, Croghan KA, Croghan IT, et al. Randomized pilot trial of yoga versus strengthening exercises in breast cancer survivors with cancer-related fatigue. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2016;**24**(9):4005-15 doi: 10.1007/s00520-016-3233-z.
- 211. Stanton AL, Ganz PA, Kwan L, et al. Outcomes from the Moving Beyond Cancer psychoeducational, randomized, controlled trial with breast cancer patients. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005;**23**(25):6009-18 doi: 10.1200/jco.2005.09.101.
- 212. Steindorf K, Schmidt ME, Klassen O, et al. Randomized, controlled trial of resistance training in breast cancer patients receiving adjuvant radiotherapy: results on cancer-related fatigue and quality of life. Annals of oncology : official journal of the European Society for Medical Oncology 2014;**25**(11):2237-43 doi: 10.1093/annonc/mdu374.
- 213. Sturm I, Baak J, Storek B, Traore A, Thuss-Patience P. Effect of dance on cancer-related fatigue and quality of life. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer 2014;**22**(8):2241-9 doi: 10.1007/s00520-014-2181-8.
- 214. Taso CJ, Lin HS, Lin WL, Chen SM, Huang WT, Chen SW. The effect of yoga exercise on improving depression, anxiety, and fatigue in women with breast cancer: a randomized controlled trial. The journal of nursing research : JNR 2014;**22**(3):155-64 doi: 10.1097/jnr.0000000000044.
- 215. Thorsen L, Skovlund E, Stromme SB, Hornslien K, Dahl AA, Fossa SD. Effectiveness of physical activity on cardiorespiratory fitness and health-related quality of life in young and middle-aged cancer patients shortly after chemotherapy. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005;23(10):2378-88 doi: 10.1200/jco.2005.04.106.
- 216. Travier N, Velthuis MJ, Steins Bisschop CN, et al. Effects of an 18-week exercise programme started early during breast cancer treatment: a randomised controlled trial. BMC medicine 2015;**13**:121 doi: 10.1186/s12916-015-0362-z.
- 217. Vadiraja SH, Rao MR, Nagendra RH, et al. Effects of yoga on symptom management in breast cancer patients: A randomized controlled trial [After]. International journal of yoga 2009;**2**(2):73-9 doi: 10.4103/0973-6131.60048.
- 218. Vadiraja SH, Rao MR, Nagendra RH, et al. Effects of yoga on symptom management in breast cancer patients: A randomized controlled trial [During]. International journal of yoga 2009;**2**(2):73-9 doi: 10.4103/0973-6131.60048.

- 219. Vallance JK, Courneya KS, Plotnikoff RC, Yasui Y, Mackey JR. Randomized controlled trial of the effects of print materials and step pedometers on physical activity and quality of life in breast cancer survivors. Journal of Clinical Oncology 2007;**25**(17):2352-59.
- 220. van der Lee ML, Garssen B. Mindfulness-based cognitive therapy reduces chronic cancer-related fatigue: a treatment study. Psycho-Oncology 2012;21(3):264-72.
- 221. Van Vulpen JK, Velthuis MJ, Steins Bisschop CN, et al. Effects of an Exercise Program in Colon Cancer Patients undergoing Chemotherapy. Medicine and science in sports and exercise 2016;48(5):767-75 doi: 10.1249/MSS.0000000000855.
- 222. Vargas S, Antoni MH, Carver CS, et al. Sleep quality and fatigue after a stress management intervention for women with early-stage breast cancer in southern Florida. International journal of behavioral medicine 2014;**21**(6):971-81 doi: 10.1007/s12529-013-9374-2.
- 223. Wang YJ, Boehmke M, Wu YW, Dickerson SS, Fisher N. Effects of a 6-week walking program on Taiwanese women newly diagnosed with early-stage breast cancer. Cancer nursing 2011;**34**(2):E1-13 doi: 10.1097/NCC.0b013e3181e4588d.
- 224. Wang G, Wang S, Jiang P, Zeng C. [Effect of Yoga on cancer related fatigue in breast cancer patients with chemotherapy]. Zhong nan da xue xue bao. Yi xue ban = Journal of Central South University. Medical sciences 2014;**39**(10):1077-82 doi: 10.11817/j.issn.1672-7347.2014.10.016.
- 225. Wangnum K, Thanarojanawanich T, Chinwatanachai K, Jamprasert L, Maleehuan O, Janthakun V. Impact of the multidisciplinary education program in self-care on fatigue in lung cancer patients receiving chemotherapy. Journal of the Medical Association of Thailand = Chotmaihet thangphaet 2013;**96**(12):1601-8.
- 226. Wenzel JA, Griffith KA, Shang J, et al. Impact of a home-based walking intervention on outcomes of sleep quality, emotional distress, and fatigue in patients undergoing treatment for solid tumors. The oncologist 2013;**18**(4):476-84 doi: 10.1634/theoncologist.2012-0278.
- 227. Willems RA, Bolman CA, Mesters I, Kanera IM, Beaulen AA, Lechner L. Short-term effectiveness of a web-based tailored intervention for cancer survivors on quality of life, anxiety, depression, and fatigue: randomized controlled trial. Psycho-oncology 2016 doi: 10.1002/pon.4113.
- 228. Windsor PM, Nicol KF, Potter J. A randomized, controlled trial of aerobic exercise for treatment-related fatigue in men receiving radical external beam radiotherapy for localized prostate carcinoma. Cancer 2004;**101**(3):550-7 doi: 10.1002/cncr.20378.
- 229. Winters-Stone KM, Dobek J, Bennett JA, Nail LM, Leo MC, Schwartz A. The effect of resistance training on muscle strength and physical function in older, postmenopausal breast cancer survivors: a randomized controlled trial. Journal of cancer survivorship : research and practice 2012;6(2):189-99 doi: 10.1007/s11764-011-0210-x.
- 230. Winters-Stone KM, Dobek JC, Bennett JA, et al. Resistance training reduces disability in prostate cancer survivors on androgen deprivation therapy: evidence from a randomized controlled trial. Archives of physical medicine and rehabilitation 2015;**96**(1):7-14.
- 231. Winters-Stone KM, Lyons KS, Dobek J, et al. Benefits of partnered strength training for prostate cancer survivors and spouses: results from a randomized controlled trial of the Exercising Together project. Journal of cancer survivorship : research and practice 2016;**10**(4):633-44 doi: 10.1007/s11764-015-0509-0.
- 232. Wiskemann J, Dreger P, Schwerdtfeger R, et al. Effects of a partly self-administered exercise program before, during, and after allogeneic stem cell transplantation. Blood 2011;**117**(9):2604-13.
- 233. Xu Y. Intervention of aerobic exercise on the cancer-related fatigue in breast cancer patients undergoing chemotherapy in outpatient department. Hainan Med J 2012;**23**(19):145-47.
- 234. Yagli NV, Ulger O. The effects of yoga on the quality of life and depression in elderly breast cancer patients. Complementary therapies in clinical practice 2015;**21**(1):7-10 doi: 10.1016/j.ctcp.2015.01.002.
- 235. Yates P, Aranda S, Hargraves M, et al. Randomized controlled trial of an educational intervention for managing fatigue in women receiving adjuvant chemotherapy for early-stage breast cancer. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2005;**23**(25):6027-36 doi: 10.1200/jco.2005.01.271.
- 236. Yeo TP, Burrell SA, Sauter PK, et al. A progressive postresection walking program significantly improves fatigue and health-related quality of life in pancreas and periampullary cancer patients. Journal of the American College of Surgeons 2012;**214**(4):463-75; discussion 75-7 doi: 10.1016/j.jamcollsurg.2011.12.017.
- 237. Yuen HK, Mitcham M, Morgan L. Managing post-therapy fatigue for cancer survivors using energy conservation training. Journal of allied health 2006; **35**(2):121e-39e.

- 238. Yuen HK, Sword D. Home-based exercise to alleviate fatigue and improve functional capacity among breast cancer survivors. Journal of allied health 2007;**36**(4):e257-75.
- 239. Yun YH, Lee KS, Kim YW, et al. Web-based tailored education program for disease-free cancer survivors with cancer-related fatigue: a randomized controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2012;**30**(12):1296-303 doi: 10.1200/jco.2011.37.2979.
- 240. Zhang LL, Wang SZ, Chen HL, Yuan AZ. Tai Chi Exercise for Cancer-Related Fatigue in Patients With Lung Cancer Undergoing Chemotherapy: A Randomized Controlled Trial. Journal of pain and symptom management 2016;**51**(3):504-11 doi: 10.1016/j.jpainsymman.2015.11.020.
- 241. Vigario Pdos S, Chachamovitz DS, Cordeiro MF, et al. Effects of physical activity on body composition and fatigue perception in patients on thyrotropin-suppressive therapy for differentiated thyroid carcinoma. Thyroid : official journal of the American Thyroid Association 2011;**21**(7):695-700 doi: 10.1089/thy.2010.0052.
- 242. van Waart H, Stuiver MM, van Harten WH, et al. Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology 2015;**33**(17):1918-27 doi: 10.1200/JCO.2014.59.1081.
- 243. van Weert E, May AM, Korstjens I, et al. Cancer-related fatigue and rehabilitation: a randomized controlled multicenter trial comparing physical training combined with cognitive-behavioral therapy with physical training only and with no intervention. Physical therapy 2010;**90**(10):1413-25 doi: 10.2522/ptj.20090212.
- 244. van der Meulen IC, May AM, de Leeuw JR, et al. Long-term effect of a nurse-led psychosocial intervention on health-related quality of life in patients with head and neck cancer: a randomised controlled trial. British journal of cancer 2014;**110**(3):593-601 doi: 10.1038/bjc.2013.733.
- 245. von Gruenigen VE, Gibbons HE, Kavanagh MB, Janata JW, Lerner E, Courneya KS. A randomized trial of a lifestyle intervention in obese endometrial cancer survivors: quality of life outcomes and mediators of behavior change. Health and quality of life outcomes 2009;**7**(1):17.