

1

## 2 Appendix 1. Injury severity categories by body region

	No. of Injuries	Severity, No. of Injuries (%)			
		Mild	Minor	Moderate	Severe
<b>Head/face</b>	23	3 (13)	7 (30.4)	11 (47.8)	2 (8.7)
<i>Concussion</i>	11	-	4 (36.4)	7 (63.6)	-
<b>Shoulder/clavicle</b>	18	2 (11.1)	4 (22.2)	4 (22.2)	8 (44.4)
<b>Arm and hand</b>	22	-	3 (13.6)	11 (50)	12 (54.5)
<b>Torso</b>	29	3 (10.3)	7 (24.1)	11 (37.9)	2 (6.9)
<b>Low back/sacrum/pelvis</b>	60	14 (23.3)	17 (28.3)	22 (36.7)	7 (11.7)
<b>Hip/groin</b>	119	21 (17.6)	28 (23.5)	56 (47.1)	14 (11.8)
<b>Thigh</b>	355	35 (9.9)	73 (20.6)	185 (52.1)	62 (17.5)
<i>Hamstring muscle strain</i>	200	8 (4)	32 (16)	117 (58.5)	43 (21.5)
<b>Knee</b>	220	16 (7.3)	35 (15.9)	79 (35.9)	90 (40.9)
<i>ACL complete tear</i>	32	-	-	-	32 (100)
<i>MCL injury</i>	63	2 (3.2)	13 (20.6)	29 (46)	19 (30.2)
<b>Lower leg/Achilles tendon</b>	100	15 (15)	23 (23)	47 (47)	15 (15)
<b>Ankle</b>	162	35 (21.6)	41 (25.3)	71 (43.8)	15 (9.3)
<b>Foot/toe</b>	50	13 (26)	9 (18)	19 (38)	9 (18)

3

4