

Supplementary Appendix for the paper

The genetic contribution to anterior cruciate ligament rupture

by Magnusson et al., 2020

Contents:

- Figure S1: Number of twins with the included ICD-9 codes (844C) and ICD-10 codes (S83.7, S83.5, S83.5R, S83.5S, S83.5X). Page 2.
- Table S1: Model fit and variance components estimates for the classical twin model for having a diagnostic code of cruciate ligament injury in the Swedish Twin Registry. Page 3.




Figure S1. Number of twins with the included ICD-9 codes (844C) and ICD-10 codes (S83.7, S83.5, S83.5R, S83.5S, S83.5X).

Table S1. Model fit and variance components estimates for the classical twin model for having a diagnostic code of cruciate ligament injury in the Swedish Twin Registry.

Variance components estimates					
Model	A (95% CI)	C (95% CI)	D (95% CI)	E (95% CI)	AIC
ACE	0.64 (0.40-0.88)	0		0.36 (0.12-0.60)	3959.35
ADE	0		0.69 (0.47-0.91)	0.31 (0.09-0.53)	3957.35
AE	0.64 (0.40-0.88)			0.36 (0.12-0.60)	3958.11

A: Additive genetic factors, C: Common environmental factors, D: Dominant genetic factors, E: Unique environmental factors. Models compared by AIC - Akaike Information Criteria (smaller value indicates better fit).