

SUPPLEMENTARY FILE 1. Search strategy (for step 3)

Database searched	Platform	Years of coverage	Records	Records after duplicates removed
Embase	Embase.com	1971 - Present	1338	1317
Medline ALL	Ovid	1946 - Present	1071	241
Web of Science Core Collection*	Web of Knowledge	1975 - Present	1065	265
Cochrane Central Register of Controlled Trials	Wiley	1992 - Present	408	164
CINAHL	EBSCO	1982 - Present	681	118
SPORTDiscus	EBSCO	1982 - Present	315	14
Total			4878	2119

*Science Citation Index Expanded (1975-present) ; Social Sciences Citation Index (1975-present) ; Arts & Humanities Citation Index (1975-present) ; Conference Proceedings Citation Index- Science (1990-present) ;

Conference Proceedings Citation Index- Social Science & Humanities (1990-present) ; Emerging Sources Citation Index (2005-present)

Embase 1338

('achilles tendinitis'/exp OR ((tendinitis/de OR pathology/de OR 'tendon disease'/de) AND 'achilles tendon'/de) OR (((achilles OR calcaneal) AND (tendinit* OR peritendinit* OR tendinopath* OR tendinos* OR tendonit* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*):ab,ti,kw) AND ('Likert scale'/de OR 'global rating of change scale'/de OR 'global rating of change'/de OR 'global rating of change questionnaire'/de OR 'Clinical Global Impression scale'/de OR 'patient global impression of change scale'/de OR 'patient global impression of change'/de OR 'patient global impression of improvement'/de OR 'patient global impression of improvement questionnaire'/de OR 'patient global impression of improvement scale'/de OR 'patient global impression of improvement score'/de OR 'patient global impression scale'/de OR 'patient global impression of change score'/de OR 'return to sport'/de OR 'visual analog scale'/de OR 'heel rise test'/de OR 'foot function index'/de OR 'victorian institute of sport assessment achilles questionnaire'/de OR 'victorian institute of sports assessment achilles questionnaire'/de OR 'morning stiffness'/de OR 'pain location'/de OR 'concomitant therapy'/de OR (('range of motion'/de OR 'goniometer'/de) AND 'ankle'/de) OR 'patient compliance'/de OR 'scoring system'/mj/de OR 'questionnaire'/mj/de OR (((likert*) NEAR/3 (scale* OR score*)) OR ((global) NEAR/3 (rating*) NEAR/3 (change) NEAR/3 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) NEAR/3 (global) NEAR/3 (impression*)) OR ((patient*) NEAR/3 (global) NEAR/3 (impression*) NEAR/3 (change* OR improvement*)) OR ((perception*) NEAR/3 (treatment*) NEAR/3 (effectiveness*)) OR ((perceived) NEAR/3 (improvement*)) OR ((return-to* OR resumption-of*) NEAR/3 (sport* OR play OR competition*)) OR ((return-to) NEAR/3 (pre-injur*)) OR time-to-return* OR ((visual) NEAR/3 (analog OR analogue)) OR VAS OR ((pain) NEAR/3 (after) NEAR/3 (activit*)) OR ((heel*) NEAR/3 (rise OR raise) NEAR/3 (test*)) OR ((single-leg*) NEAR/3 (heel*) NEAR/3 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) NEAR/3 (flexibilit*)) OR plurimeter* OR ((VISA) NEAR/3 (A)) OR VISA-A OR ((victorian) NEAR/3 (institut*) NEAR/3 (sport*)) OR ((foot) NEAR/3 (function) NEAR/3 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) NEAR/3 (morning*)) OR ((pain) NEAR/3 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) NEAR/3 (ankle*)) OR ((patient OR therapy OR treatment*) NEAR/3 (compliance* OR adherence*)) OR co-therap* OR co-intervent*):ab,ti,kw OR (scoring-system* OR

questionnaire*):ti) AND ('devices'/de OR 'procedures'/de OR 'validation study'/de OR 'comparative study'/de OR 'psychometry'/de OR 'clinimetrics'/de OR 'outcome assessment'/de OR 'observer variation'/de OR 'health status indicator'/de OR 'reproducibility'/de OR 'discriminant analysis'/de OR 'reliability'/exp OR 'validity'/exp OR 'accuracy'/de OR 'kappa statistics'/de OR 'discriminant analysis'/de OR 'factor analysis'/de OR 'sensitivity and specificity'/de OR 'ceiling and floor effect'/de OR 'Rasch analysis'/de OR 'computerized adaptive testing'/de OR (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) NEAR/3 (stud*)) OR ((outcome*) NEAR/3 (assess* OR measure*)) OR ((observer*) NEAR/3 (variation*)) OR ((health) NEAR/3 (status) NEAR/3 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) NEAR/3 (analys*)) OR ((internal*) NEAR/3 (consisten*)) OR ((cronbach*) NEAR/3 (alpha* OR alfa*)) OR ((item) NEAR/3 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) NEAR/3 (value*)) OR ((retest* OR re-test*) NEAR/3 (test*)) OR ((replicab* OR repeated) NEAR/3 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) NEAR/3 (correlation*)) OR ((uncertain*) NEAR/3 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) NEAR/3 (important OR significant OR detectable) NEAR/3 (change OR difference)) OR

((small*) NEAR/3 (real OR detectable) NEAR/3 (change* OR difference*)) OR ((ceiling* OR floor*) NEAR/3 (effect*)) OR ((computer*) NEAR/3 (adaptiv*) NEAR/3 (test*)) OR ((measurement*) NEAR/3 (propert*)) OR ((sensitivit*) NEAR/3 (change)) OR ((patient) NEAR/3 (acceptabl*) NEAR/3 (state)):ab,ti,kw

Medline 1071

((Tendinopathy/ OR Pathology/) AND "achilles tendon"/) OR "achilles tendon"/pa OR "achilles tendon"/in OR (((achilles OR calcaneal) AND (tendinit* OR peritendinit* OR tendinopath* OR tendinos* OR tendonit* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*).ab,ti,kf.) **AND** (Return to Sport/ OR Visual Analog Scale/ OR ((Range of Motion, Articular/) AND (Ankle Joint/ OR Ankle/)) OR Patient Compliance/ OR *"Surveys and Questionnaires"/ OR (((likert*) ADJ3 (scale* OR score*)) OR ((global) ADJ3 (rating*) ADJ3 (change) ADJ3 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) ADJ3 (global) ADJ3 (impression*)) OR ((patient*) ADJ3 (global) ADJ3 (impression*) ADJ3 (change* OR improvement*)) OR ((perception*) ADJ3 (treatment*) ADJ3 (effectiveness*)) OR ((perceived) ADJ3 (improvement*)) OR ((return-to* OR resumption-of*) ADJ3 (sport* OR play OR competition*)) OR ((return-to) ADJ3 (pre-injur*)) OR time-to-return* OR ((visual) ADJ3 (analog OR analogue)) OR VAS OR ((pain) ADJ3 (after) ADJ3 (activit*)) OR ((heel*) ADJ3 (rise OR raise) ADJ3 (test*)) OR ((single-leg*) ADJ3 (heel*) ADJ3 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) ADJ3 (flexibilit*)) OR plurimeter* OR ((VISA) ADJ3 (A)) OR VISA-A OR ((victorian) ADJ3 (institut*) ADJ3 (sport*)) OR ((foot) ADJ3 (function) ADJ3 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) ADJ3 (morning*)) OR ((pain) ADJ3 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) ADJ3 (ankle*)) OR ((patient OR therapy OR treatment*) ADJ3 (compliance* OR adherence*)) OR co-therap* OR co-intervent*).ab,ti,kf. OR (scoring-system* OR questionnair*).ti.) **AND** (instrumentation.fs. OR Methods/ OR Validation Study/ OR Comparative Study/ OR Psychometrics/ OR Outcome Assessment, Health Care/ OR Observer Variation/ OR Health Status Indicators/ OR Reproducibility of Results/ OR Discriminant Analysis/ OR Data Accuracy/ OR Factor Analysis, Statistical/ OR Sensitivity and Specificity/ OR

Computerized Adaptive Testing/ OR (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) ADJ3 (stud*)) OR ((outcome*) ADJ3 (assess* OR measure*)) OR ((observer*) ADJ3 (variation*)) OR ((health) ADJ3 (status) ADJ3 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) ADJ3 (analys*)) OR ((internal*) ADJ3 (consisten*)) OR ((cronbach*) ADJ3 (alpha* OR alfa*)) OR ((item) ADJ3 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) ADJ3 (value*)) OR ((retest* OR re-test*) ADJ3 (test*)) OR ((replicab* OR repeated) ADJ3 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) ADJ3 (correlation*)) OR ((uncertaint*) ADJ3 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) ADJ3 (important OR significant OR detectable) ADJ3 (change OR difference)) OR ((small*) ADJ3 (real OR detectable) ADJ3 (change* OR difference*)) OR ((ceiling* OR floor*) ADJ3 (effect*)) OR ((computer*) ADJ3 (adaptiv*) ADJ3 (test*)) OR ((measurement*) ADJ3 (propert*)) OR ((sensitiv*) ADJ3 (change)) OR ((patient) ADJ3 (acceptabl*) ADJ3 (state))).ab,ti,kf.)

Cochrane 408

(((((achilles OR calcaneal) AND (tendinit* OR peritendinit* OR tendinopath* OR tendinos* OR tendonit* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*):ab,ti) **AND** (((likert*) NEAR/3 (scale* OR score*)) OR ((global) NEAR/3 (rating*) NEAR/3 (change) NEAR/3 (scale* OR questionnair*)) OR GRC OR GROG OR ((clinical) NEAR/3 (global) NEAR/3 (impression*)) OR ((patient*) NEAR/3 (global) NEAR/3 (impression*) NEAR/3 (change* OR improvement*)) OR ((perception*) NEAR/3 (treatment*) NEAR/3 (effectiveness*)) OR ((perceived) NEAR/3 (improvement*)) OR ((return-to* OR resumption-of*) NEAR/3 (sport* OR play OR competition*)) OR ((return-to) NEAR/3 (pre-injur*)) OR time-to-return* OR ((visual) NEAR/3 (analog OR analogue)) OR VAS OR ((pain) NEAR/3 (after) NEAR/3 (activit*)) OR ((heel*) NEAR/3 (rise OR raise) NEAR/3 (test*)) OR ((single-leg*) NEAR/3 (heel*) NEAR/3 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) NEAR/3 (flexibilit*)) OR plurimeter* OR ((VISA) NEAR/3 (A)) OR VISA-A OR ((victorian) NEAR/3 (institut*) NEAR/3 (sport*)) OR ((foot) NEAR/3 (function) NEAR/3 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) NEAR/3 (morning*)) OR ((pain) NEAR/3 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) NEAR/3 (ankle*)) OR ((patient OR therapy OR treatment*) NEAR/3 (compliance* OR adherence*)) OR co-therap* OR co-intervent*):ab,ti OR (scoring-system* OR questionnair*):ti) **AND** ((instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch

OR DIF OR cross-cultural* OR ((validation OR comparative*) NEAR/3 (stud*)) OR ((outcome*) NEAR/3 (assess* OR measure*)) OR ((observer*) NEAR/3 (variation*)) OR ((health) NEAR/3 (status) NEAR/3 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) NEAR/3 (analys*)) OR ((internal*) NEAR/3 (consisten*)) OR ((cronbach*) NEAR/3 (alpha* OR alfa*)) OR ((item) NEAR/3 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) NEAR/3 (value*)) OR ((retest* OR re-test*) NEAR/3 (test*)) OR ((replicab* OR repeated) NEAR/3 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) NEAR/3 (correlation*)) OR ((uncertaint*) NEAR/3 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) NEAR/3 (important OR significant OR detectable) NEAR/3 (change OR difference)) OR ((small*) NEAR/3 (real OR detectable) NEAR/3 (change* OR difference*)) OR ((ceiling* OR floor*) NEAR/3 (effect*)) OR ((computer*) NEAR/3 (adaptiv*) NEAR/3 (test*)) OR ((measurement*) NEAR/3 (propt*)) OR ((sensitiv*) NEAR/3 (change)) OR ((patient) NEAR/3 (acceptabl*) NEAR/3 (state)):ab,ti)

Web of Science 1065

TS(((((((achilles OR calcaneal) AND (tendinit* OR peritendinit* OR tendinopath* OR tendinos* OR tendonit* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*)) AND (((likert*) NEAR/2 (scale* OR score*)) OR ((global) NEAR/2 (rating*) NEAR/2 (change) NEAR/2 (scale* OR questionnair*)) OR GRC OR GROG OR ((clinical) NEAR/2 (global) NEAR/2 (impression*)) OR ((patient*) NEAR/2 (global) NEAR/2 (impression*) NEAR/2 (change* OR improvement*)) OR ((perception*) NEAR/2 (treatment*) NEAR/2 (effectiveness*)) OR ((perceived) NEAR/2 (improvement*)) OR ((return-to* OR resumption-of*) NEAR/2 (sport* OR play OR competition*)) OR ((return-to) NEAR/2 (pre-injur*)) OR time-to-return* OR ((visual) NEAR/2 (analog OR analogue)) OR VAS OR ((pain) NEAR/2 (after) NEAR/2 (activit*)) OR ((heel*) NEAR/2 (rise OR raise) NEAR/2 (test*)) OR ((single-leg*) NEAR/2 (heel*) NEAR/2 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) NEAR/2 (flexibilit*)) OR plurimeter* OR ((VISA) NEAR/2 (A)) OR VISA-A OR ((victorian) NEAR/2 (institut*) NEAR/2 (sport*)) OR ((foot) NEAR/2

((function) NEAR/2 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) NEAR/2 (morning*)) OR ((pain) NEAR/2 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) NEAR/2 (ankle*)) OR ((patient OR therapy OR treatment*) NEAR/2 (compliance* OR adherence*)) OR co-therap* OR co-intervent*) AND ((instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) NEAR/2 (stud*)) OR ((outcome*) NEAR/2 (assess* OR measure*)) OR ((observer*) NEAR/2 (variation*)) OR ((health) NEAR/2 (status) NEAR/2 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) NEAR/2 (analys*)) OR ((internal*) NEAR/2 (consisten*)) OR ((cronbach*) NEAR/2 (alpha* OR alfa*)) OR ((item) NEAR/2 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) NEAR/2 (value*)) OR ((retest* OR re-test*) NEAR/2 (test*)) OR ((replicab* OR repeated) NEAR/2 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) NEAR/2 (correlation*)) OR ((uncertaint*) NEAR/2 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) NEAR/2 (important OR significant OR detectable) NEAR/2 (change OR difference)) OR ((small*) NEAR/2 (real OR detectable) NEAR/2 (change*

OR difference*) OR ((ceiling* OR floor*) NEAR/2 (effect*)) OR ((computer*) NEAR/2 (adaptiv*) NEAR/2 (test*)) OR ((measurement*) NEAR/2 (propert*)) OR ((sensitivit*) NEAR/2 (change)) OR ((patient) NEAR/2 (acceptabl*) NEAR/2 (state))))))

Cinahl 694

((MH Tendinopathy OR MH Pathology) AND MH "achilles tendon") OR TI (((achilles OR calcaneal) AND (tendinitis* OR tendinopath* OR tendinosis* OR tendonitis* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*) OR AB (((achilles OR calcaneal) AND (tendinitis* OR tendinopath* OR tendinosis* OR tendonitis* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*) **AND** (MH Sports Re-Entry OR MH Visual Analog Scaling OR MH Summated Rating Scaling OR ((MH Range of Motion) AND (MH Ankle Joint OR MH Ankle)) OR MH Patient Compliance OR MH Questionnaires OR TI (((likert*) N2 (scale* OR score*)) OR ((global) N2 (rating*) N2 (change) N2 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) N2 (global) N2 (impression*)) OR ((patient*) N2 (global) N2 (impression*) N2 (change* OR improvement*)) OR ((perception*) N2 (treatment*) N2 (effectiveness*)) OR ((perceived) N2 (improvement*)) OR ((return-to* OR resumption-of*) N2 (sport* OR play OR competition*)) OR ((return-to) N2 (pre-injur*)) OR time-to-return* OR ((visual) N2 (analog OR analogue)) OR VAS OR ((pain) N2 (after) N2 (activit*)) OR ((heel*) N2 (rise OR raise) N2 (test*)) OR ((single-leg*) N2 (heel*) N2 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) N2 (flexibilit*)) OR plurimeter* OR ((VISA) N2 (A)) OR VISA-A OR ((victorian) N2 (institut*) N2 (sport*)) OR ((foot) N2 (function) N2 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) N2 (morning*)) OR ((pain) N2 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) N2 (ankle*)) OR ((patient OR therapy OR treatment*) N2 (compliance* OR adherence*)) OR co-therap* OR co-intervent*) OR AB (((likert*) N2 (scale* OR score*)) OR ((global) N2 (rating*) N2 (change) N2 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) N2 (global) N2 (impression*)) OR ((patient*) N2 (global) N2 (impression*) N2 (change* OR improvement*)) OR ((perception*) N2 (treatment*) N2 (effectiveness*)) OR ((perceived) N2

((improvement*)) OR ((return-to* OR resumption-of*) N2 (sport* OR play OR competition*)) OR ((return-to) N2 (pre-injur*)) OR time-to-return* OR ((visual) N2 (analog OR analogue)) OR VAS OR ((pain) N2 (after) N2 (activit*)) OR ((heel*) N2 (rise OR raise) N2 (test*)) OR ((single-leg*) N2 (heel*) N2 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) N2 (flexibilit*)) OR pluriometer* OR ((VISA) N2 (A)) OR VISA-A OR ((victorian) N2 (institut*) N2 (sport*)) OR ((foot) N2 (function) N2 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) N2 (morning*)) OR ((pain) N2 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) N2 (ankle*)) OR ((patient OR therapy OR treatment*) N2 (compliance* OR adherence*)) OR co-therap* OR co-intervent*) OR TI(scoring-system* OR questionnair*)) **AND** (MH Validation Studies OR MH Comparative Studies OR MH Psychometrics OR MH Health Status Indicators OR MH Reproducibility of Results OR MH Discriminant Analysis OR MH Validity+ OR MH Factor Analysis OR MH "Sensitivity and Specificity" OR MH Computerized Adaptive Testing OR TI (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) N2 (stud*)) OR ((outcome*) N2 (assess* OR measure*)) OR ((observer*) N2 (variation*)) OR ((health) N2 (status) N2 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) N2 (analys*)) OR ((internal*) N2 (consisten*)) OR ((cronbach*) N2 (alpha* OR alfa*)) OR ((item) N2

((correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) N2 (value*)) OR ((retest* OR re-test*) N2 (test*)) OR ((replicab* OR repeated) N2 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) N2 (correlation*)) OR ((uncertaint*) N2 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) N2 (important OR significant OR detectable) N2 (change OR difference)) OR ((small*) N2 (real OR detectable) N2 (change* OR difference*)) OR ((ceiling* OR floor*) N2 (effect*)) OR ((computer*) N2 (adaptiv*) N2 (test*)) OR ((measurement*) N2 (propert*)) OR ((sensitiv*) N2 (change)) OR ((patient) N2 (acceptabl*) N2 (state))) OR AB (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) N2 (stud*)) OR ((outcome*) N2 (assess* OR measure*)) OR ((observer*) N2 (variation*)) OR ((health) N2 (status) N2 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) N2 (analys*)) OR ((internal*) N2 (consisten*)) OR ((cronbach*) N2 (alpha* OR alfa*)) OR ((item) N2 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) N2 (value*)) OR ((retest* OR re-test*) N2 (test*)) OR ((replicab* OR repeated) N2 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) N2 (correlation*)) OR ((uncertaint*) N2 (measurement* OR measuring*)) OR

((minimal OR minimally OR clinical OR clinically OR minimum*) N2 (important OR significant OR detectable) N2 (change OR difference)) OR ((small*) N2 (real OR detectable) N2 (change* OR difference*)) OR ((ceiling* OR floor*) N2 (effect*)) OR ((computer*) N2 (adaptiv*) N2 (test*)) OR ((measurement*) N2 (propert*)) OR ((sensitivit*) N2 (change)) OR ((patient) N2 (acceptabl*) N2 (state))))

SPORTDiscus EBSCOhost

((MH TENDINITIS OR MH TENDINOSIS OR MH Pathology) AND MH "achilles tendon") OR TI (((achilles OR calcaneal) AND (tendinitis* OR tendinopath* OR tendinosis* OR tendonitis* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*) OR AB (((achilles OR calcaneal) AND (tendinitis* OR tendinopath* OR tendinosis* OR tendonitis* OR tendon-patholog* OR pain* OR injur*)) OR achillodyn*) **AND** (MH Sports Re-Entry OR MH Visual Analog Scaling OR MH Summated Rating Scaling OR ((MH Range of Motion) AND (MH Ankle Joint OR MH Ankle)) OR MH Patient Compliance OR MH Questionnaires OR TI (((likert*) N2 (scale* OR score*)) OR ((global) N2 (rating*) N2 (change) N2 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) N2 (global) N2 (impression*)) OR ((patient*) N2 (global) N2 (impression*) N2 (change* OR improvement*)) OR ((perception*) N2 (treatment*) N2 (effectiveness*)) OR ((perceived) N2 (improvement*)) OR ((return-to* OR resumption-of*) N2 (sport* OR play OR competition*)) OR ((return-to) N2 (pre-injur*)) OR time-to-return* OR ((visual) N2 (analog OR analogue)) OR VAS OR ((pain) N2 (after) N2 (activit*)) OR ((heel*) N2 (rise OR raise) N2 (test*)) OR ((single-leg*) N2 (heel*) N2 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) N2 (flexibilit*)) OR plurimeter* OR ((VISA) N2 (A)) OR VISA-A OR ((victorian) N2 (institut*) N2 (sport*)) OR ((foot) N2 (function) N2 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) N2 (morning*)) OR ((pain) N2 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) N2 (ankle*)) OR ((patient OR therapy OR treatment*) N2 (compliance* OR adherence*)) OR co-therap* OR co-intervent*) OR AB (((likert*) N2 (scale* OR score*)) OR ((global) N2 (rating*) N2 (change) N2 (scale* OR questionnair*)) OR GRC OR GROC OR ((clinical) N2 (global) N2 (impression*)) OR

((patient*) N2 (global) N2 (impression*) N2 (change* OR improvement*)) OR ((perception*) N2 (treatment*) N2 (effectiveness*)) OR ((perceived) N2 (improvement*)) OR ((return-to* OR resumption-of*) N2 (sport* OR play OR competition*)) OR ((return-to) N2 (pre-injur*)) OR time-to-return* OR ((visual) N2 (analog OR analogue)) OR VAS OR ((pain) N2 (after) N2 (activit*)) OR ((heel*) N2 (rise OR raise) N2 (test*)) OR ((single-leg*) N2 (heel*) N2 (rise* OR raise*)) OR ((Gastrocnemius OR soleus) N2 (flexibilit*)) OR pluri-meter* OR ((VISA) N2 (A)) OR VISA-A OR ((victorian) N2 (institut*) N2 (sport*)) OR ((foot) N2 (function) N2 (index OR score OR scale*)) OR FFI OR ((pain OR stiff*) N2 (morning*)) OR ((pain) N2 (location OR located OR site)) OR ((range-of-motion* OR goniometer*) N2 (ankle*)) OR ((patient OR therapy OR treatment*) N2 (compliance* OR adherence*)) OR co-therap* OR co-intervent* OR TI(scoring-system* OR questionnair*) **AND** (MH Validation Studies OR MH Comparative Studies OR MH Psychometrics OR MH Health Status Indicators OR MH Reproducibility of Results OR MH Discriminant Analysis OR MH Validity+ OR MH Factor Analysis OR MH "Sensitivity and Specificity" OR MH Computerized Adaptive Testing OR TI (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) N2 (stud*)) OR ((outcome*) N2 (assess* OR measure*)) OR ((observer*) N2 (variation*)) OR ((health) N2 (status) N2 (indicator*)) OR

((discriminant* OR factor OR scaling OR variabilit*) N2 (analys*)) OR ((internal*) N2 (consisten*)) OR ((cronbach*) N2 (alpha* OR alfa*)) OR ((item) N2 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) N2 (value*)) OR ((retest* OR re-test*) N2 (test*)) OR ((replicab* OR repeated) N2 (measure OR measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) N2 (correlation*)) OR ((uncertaint*) N2 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) N2 (important OR significant OR detectable) N2 (change OR difference)) OR ((small*) N2 (real OR detectable) N2 (change* OR difference*)) OR ((ceiling* OR floor*) N2 (effect*)) OR ((computer*) N2 (adaptiv*) N2 (test*)) OR ((measurement*) N2 (propert*)) OR ((sensitiv*) N2 (change)) OR ((patient) N2 (acceptabl*) N2 (state))) OR AB (instrumentation* OR procedure OR method* OR psychometr* OR clinimetr* OR clinometr* OR reproducibilit* OR reliab* OR unreliab* OR valid* OR coefficient* OR homogeneit* OR homogeneous* OR agreement* OR precision* OR imprecision* OR stabilit* OR interrater* OR inter-rater* OR intrarater* OR intra-rater* OR intertester* OR inter-tester* OR intratester* OR intra-tester* OR interobserver* OR inter-observer* OR intraobserver* OR intra-observer* OR intertechnician* OR inter-technician* OR intratechnician* OR intra-technician* OR interexaminer* OR inter-examiner* OR intraexaminer* OR intra-examiner* OR interassay* OR inter-assay* OR intraassay* OR intra-assay* OR interindividual* OR inter-individual* OR intraindividual* OR intra-individual* OR interparticipant* OR inter-participant* OR intraparticipant* OR intra-participant* OR kappa* OR repeatab* OR generalize* OR generalise* OR concordance* OR discriminativ* OR discriminant* OR known-group* OR dimension* OR subscale* OR interscale* OR error OR errors OR individual-variabilit* OR sensitiv* OR responsive* OR meaningful-change* OR IRT OR Rasch OR DIF OR cross-cultural* OR ((validation OR comparative*) N2 (stud*)) OR ((outcome*) N2 (assess* OR measure*)) OR ((observer*) N2 (variation*)) OR ((health) N2 (status) N2 (indicator*)) OR ((discriminant* OR factor OR scaling OR variabilit*) N2 (analys*)) OR ((internal*) N2 (consisten*)) OR ((cronbach*) N2 (alpha* OR alfa*)) OR ((item) N2 (correlation* OR selection* OR reduction* OR response* OR bank OR functioning)) OR ((precise*) N2 (value*)) OR ((retest* OR re-test*) N2 (test*)) OR ((replicab* OR repeated) N2 (measure OR

measures OR findings OR result OR results OR test OR tests)) OR ((intraclass) N2 (correlation*)) OR ((uncertain*) N2 (measurement* OR measuring*)) OR ((minimal OR minimally OR clinical OR clinically OR minimum*) N2 (important OR significant OR detectable) N2 (change OR difference)) OR ((small*) N2 (real OR detectable) N2 (change* OR difference*)) OR ((ceiling* OR floor*) N2 (effect*)) OR ((computer*) N2 (adaptiv*) N2 (test*)) OR ((measurement*) N2 (propert*)) OR ((sensitivit*) N2 (change)) OR ((patient) N2 (acceptabl*) N2 (state))))